INDEX TO VOLUME 77

The Index for Volume 77 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Aflatoxin and fermented foods 515

Ahearn, D. G. See Simmons and Ahearn 660

Ajello, L. See Weeks et al. 964

Algal symbionts 657-659

Alkaloids, in ergot 418-422

Altered development in Wangiella dermatitidis 142-148

Amber, fungus in 11-15

Ammirati, J. F. See Keller-Dilitz et al. 667

Anaerobic growth of molds 390-399

Anamorph connection in Trematosphaeria 235,

236

Anamorphs 11, 51, 52f, 53, 62, 69, 70, 114, 276, 323, 445, 483, 589, 606–617, 763, 767f, 770f, 772, 777f, 880, 881

Andary, C., G. Privat, and M.-J. Bourrier. Variations in monomethylhydrazine content in Gyromitra esculenta 259-264

Ann, P. J., and W. H. Ko. Variants of Phytophthora cinnamomi extend known limit of species 946-950

. See Ko and Ann 631

Annual lecture 505-525

Antifungal activity 185-191

Apomixis 300-306, 332

Aquatic discomycete 441–445

Arachnid cadaver, fungus on 11-15

Aragaki, M. See Uchida and Aragaki 832

Arizona foray 168-171

Armbruster, B. L. See Langsam and Armbruster 829

Armentrout, V. N. See Stone and Armentrout 526 Armillaria rhizomorphs, parasite of 662-665 Arthropods as consumers of VAM fungi 320-322

Ascomycetes foray list 169; methods for study of 1-10

Ascospores, ultrastructure of 660-662 Ascosporogenesis, ultrastructure of 401-410

Bacon, C. W. Chemically defined medium for growth and synthesis of ergot alkaloids by species of Balansia 418-423

Badham, E. R. Influence of humidity upon transpiration and growth in Psilocybe cubensis 932-939

Bagyanarayana, G. See Ramachar et al. 981

Ballou, L. R., and R. W. Holton. Synchronous initiation and sporulation of fruit bodies by Coprinus cinereus on a defined medium 103-108

Bandoni, R. J. See Wong et al. 36

Bangert, T. N. See Bortnick et al. 861

Barnett, H. L. See Hwang et al. 109

Barr, M. E. Notes on Calosphaeriales 549-565

Barron, G. L. New Gonimochaete with an oospore state 17-23

Basidiomycetes

foray list, 169, 170; sterols in 959-963

Basidiospore variability 285-298

Bean rust fungus 248-252

Bee diseases 358, 366

Berch, S. M., and J. M. Trappe. New species of Endogonaceae, Glomus hoi 654-657

Beta-glucosidases 381-388

Bifactorial compatibility 285-298

Biological species 975-977

Biosynthesis of tricothecenes and other metabolites 130-136

Biotrophic mycoparasites 109

Blackwell, M., and R. L. Gilbertson. Quasiconcha reticulata and its anamorph from conifer roots 50-54

Blits, K. C. See Morehart et al. 784

Bloom, J. See Daniels Hetrick et al. 825

Blum, M. S. See Roncadori et al. 185

Boise, J. Amended description of Trematosphaeria 230-237

Bortnick, R. N., M. J. Powell, and T. N. Bangert. Zoospore fine structure of Olpidiopsis saprolegniae variety saprolegniae 861–879

Bourret, J. A. Influence of oxygen on tip growth of Pilobolus crystallinus hyphae 238-242

Bourrier, M.-J. See Andary et al. 259

Braselton, J. P., and F. T. Short, Karyotypic analysis of Plasmodiophora diplantherae 940-945

Brown and red stain 494-496

Brown-rot 490, 490f

Burgess, L. W., P. E. Nelson, T. A. Toussoun, and W. F. O. Marasas. Fusarium scirpi: emended description and notes on geographic distribution 212-218

Carbon source, effect on metabolite yield 130, 132, 133, 134

Castellano, M. A., and J. M. Trappe. Mycorrhizal associations of five species of Monotropoideae 499-502

Cellular slime mold 308-314

Cellulase 381-388

Cellulolytic fungi, screening method for 161-162

Cenozoic ambericulous fungi 14

Centraalbureau voor Schimmelcultures. List of cultures, 1983, 30th Ed., review 180

Centrum types 6 Chadwick, J. M. See Dunphy et al. 887

Chalkbrood fungi 358-364, 366-372 isozyme patterns in 360-364, 367-371

Chang, S.-T. See Huang et al. 959

Chase, T. E., and R. C. Ullrich. Fruiting and ge-

INDEX TO VOLUME 77

The Index for Volume 77 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Aflatoxin and fermented foods 515

Ahearn, D. G. See Simmons and Ahearn 660

Ajello, L. See Weeks et al. 964

Algal symbionts 657-659

Alkaloids, in ergot 418-422

Altered development in Wangiella dermatitidis 142-148

Amber, fungus in 11-15

Ammirati, J. F. See Keller-Dilitz et al. 667

Anaerobic growth of molds 390-399

Anamorph connection in Trematosphaeria 235,

236

Anamorphs 11, 51, 52f, 53, 62, 69, 70, 114, 276, 323, 445, 483, 589, 606–617, 763, 767f, 770f, 772, 777f, 880, 881

Andary, C., G. Privat, and M.-J. Bourrier. Variations in monomethylhydrazine content in Gyromitra esculenta 259-264

Ann, P. J., and W. H. Ko. Variants of Phytophthora cinnamomi extend known limit of species 946-950

. See Ko and Ann 631

Annual lecture 505-525

Antifungal activity 185-191

Apomixis 300-306, 332

Aquatic discomycete 441–445

Arachnid cadaver, fungus on 11-15

Aragaki, M. See Uchida and Aragaki 832

Arizona foray 168-171

Armbruster, B. L. See Langsam and Armbruster 829

Armentrout, V. N. See Stone and Armentrout 526 Armillaria rhizomorphs, parasite of 662-665 Arthropods as consumers of VAM fungi 320-322

Ascomycetes foray list 169; methods for study of 1-10

Ascospores, ultrastructure of 660-662 Ascosporogenesis, ultrastructure of 401-410

Bacon, C. W. Chemically defined medium for growth and synthesis of ergot alkaloids by species of Balansia 418-423

Badham, E. R. Influence of humidity upon transpiration and growth in Psilocybe cubensis 932-939

Bagyanarayana, G. See Ramachar et al. 981

Ballou, L. R., and R. W. Holton. Synchronous initiation and sporulation of fruit bodies by Coprinus cinereus on a defined medium 103-108

Bandoni, R. J. See Wong et al. 36

Bangert, T. N. See Bortnick et al. 861

Barnett, H. L. See Hwang et al. 109

Barr, M. E. Notes on Calosphaeriales 549-565

Barron, G. L. New Gonimochaete with an oospore state 17-23

Basidiomycetes

foray list, 169, 170; sterols in 959-963

Basidiospore variability 285-298

Bean rust fungus 248-252

Bee diseases 358, 366

Berch, S. M., and J. M. Trappe. New species of Endogonaceae, Glomus hoi 654-657

Beta-glucosidases 381-388

Bifactorial compatibility 285-298

Biological species 975-977

Biosynthesis of tricothecenes and other metabolites 130-136

Biotrophic mycoparasites 109

Blackwell, M., and R. L. Gilbertson. Quasiconcha reticulata and its anamorph from conifer roots 50-54

Blits, K. C. See Morehart et al. 784

Bloom, J. See Daniels Hetrick et al. 825

Blum, M. S. See Roncadori et al. 185

Boise, J. Amended description of Trematosphaeria 230-237

Bortnick, R. N., M. J. Powell, and T. N. Bangert. Zoospore fine structure of Olpidiopsis saprolegniae variety saprolegniae 861–879

Bourret, J. A. Influence of oxygen on tip growth of Pilobolus crystallinus hyphae 238-242

Bourrier, M.-J. See Andary et al. 259

Braselton, J. P., and F. T. Short, Karyotypic analysis of Plasmodiophora diplantherae 940-945

Brown and red stain 494-496

Brown-rot 490, 490f

Burgess, L. W., P. E. Nelson, T. A. Toussoun, and W. F. O. Marasas. Fusarium scirpi: emended description and notes on geographic distribution 212-218

Carbon source, effect on metabolite yield 130, 132, 133, 134

Castellano, M. A., and J. M. Trappe. Mycorrhizal associations of five species of Monotropoideae 499-502

Cellular slime mold 308-314

Cellulase 381-388

Cellulolytic fungi, screening method for 161-162

Cenozoic ambericulous fungi 14

Centraalbureau voor Schimmelcultures. List of cultures, 1983, 30th Ed., review 180

Centrum types 6 Chadwick, J. M. See Dunphy et al. 887

Chalkbrood fungi 358-364, 366-372 isozyme patterns in 360-364, 367-371

Chang, S.-T. See Huang et al. 959

Chase, T. E., and R. C. Ullrich. Fruiting and ge-

netic analysis of Heterobasidion annosum 464-471

and K. Korkonen. Homothallic isolates of Heterobasidion annosum 975-

Chemically defined medium 418-422

Chemotypes in lichens 657-659

Chlamydospores

development in and structure of 745, 746, 747f-751f, 752, 753f, 754; fossil forms 83-94; occurrence of 832-834

Class use of Ascomycetes 1-10

Cole, G. T. See Stubblefield et al. 11

See White and Cole 323, 483, 487 Collection and preservation of Ascomycetes 1-3

Collins, O. R., and T. Gong. Genetical relatedness of a former apomict and a heterothallic isolate in Didymium iridis 300-307

Columellar germination 353-356

Conidia

nuclear number in 835-837; ontogeny 62-70, 880-886

Conidium production 964-969

Content of monomethylhydrazine in Discomycetes 259-263

Cooke, W. B. 1980 Arizona foray 168-171

Coprinus fruiting medium 104

Coprophilous fungi 154

Corlett, M. Taxonomy of Thuemenella (Chromocreopsis) cubispora 272-277

Cotter, H. Van T., and O. K. Miller, Jr. Sclerotia of Boletinellus merulioides in nature 927-931

Cottingham, C. K., and J. T. Mullins. Preliminary characterization of the β -glucosidases in Achlya ambisexualis 381-389

Crane, J. L. See Shearer and Crane 441 Cserjesi, A. J. See Setliff and Cserjesi 489

Culberson, C. F., W. L. Culberson, and A. Johnson. Does the symbiont alga determine chemotype in lichens? 657-660

Culberson, W. L. See C. F. Culberson et al. 657 Cultural morphology of Quasiconcha 50-53

Cummins, G. B., and Y. Hiratsuka. Illustrated genera of rust fungi, 2nd ed.; review 175-176

Curry, K. J. Ascosporogenesis in Dipodascopsis tothii 401-411

. See Kimbrough and Curry 219 Cyanogenetic compounds 185-191

Cytotoxic poisons 259-263

Daniels Hetrick, B. A., J. Bloom, and S. M. Feyerherm. Root colonization pattern of Glomus epigaeum in nine host species 825-828

Davidson, R. W. Brown and red stain in ponderosa pine lumber 494-496

Decay fungi 345-352

Defined medium 103, 104-106

Deoxynivalenol 130-136

Deploey, J. J. Influence of atmosphere composition and nutrient on germination of Rhizomucor pusillus sporangiospores 97-102 Dermek, A. Fungorum rariorum icones coloratae, Pars XIII, Boletes II; review 178

Desjardin, D. E. New marasmioid fungi from California 894-902

Deuteromycetes, foray list 171

Diazonium blue B 587-591

Dietz, M. G. See Schmidt and Dietz 316

Dimorphic VA mycorrhizal fungi 566-574

Discoidin 308-314

Distribution

Podaxis 34, 34f, 35; Saprolegniaceae 373-379

DNA

complementarity 243-246; renaturation 243-

Dolan, T., and M. S. Fuller. Ultrastructure of nuclear division in Monoblepharella sp. 791-809

Dowell, V. R., Jr. See Hesseltine et al. 390

Duffey, S. S. See Roncadori et al. 185

Dunphy, G. B., J. M. Chadwick, and R. A. Nolan. Influence of physical factors and selected media on growth of Entomophthora egressa 887-893

Dylewski, D. P. See Johnson and Dylewski 341

Eaton, R. A. See Hale and Eaton 447, 594

Eboh, D. O. Nigerian graminicolous Uredinales .. II 205-211

Ectendomycorrhizal fungi 951, 952f, 953, 954f, 956, 958

Edible mushrooms, sterol composition of 959-963

Electrophoresis 360-364, 367-371

Electrophoretic patterns in Phytophthora 949f Ellis, J. J. Species and varieties in the Rhizopus

arrhizus-Rhizopus oryzae group as indicated by DNA complementarity 243-247

Endoconidium development 433-439 Endoparasite 17-23

Endophyte-host associations 323-327, 483-486, 487-489

Endophytes 418

in forage grasses 323-327 Endosporulation 433-439

Entomopathogen 887-892

Entomopathogenic fungi 358-364, 366-371

Environment, influence on Ascomycetes as class materials 6, 7

Erb, G., and W. Matheis. Pilz-mikroskopie: Präparation und Untersuchung von Pilzen; review 177-178

Erdos, G. W. Intracellular and intranuclear localization of discoidin I in aggregating cells of Dictyostelium discoideum 308-315

Ergot alkaloids 418-422 Ericoid mycorrhizae 333-335

Farr, M. L. John Albert Stevenson, 1890-1979. 841-847

Featherston, C. L. See Hesseltine et al. 390 Fermentation starters 390

Fermented foods, USDA research on 505-522 Fern, fungus on 265-270

Feyerherm, S. M. See Daniels Hetrick et al. 825

Financial report

1983 MSA 503; 1984 MSA 504

Fixation procedures, ultrastructure of fine hyphae 449

Fluorescent compounds 667-672

Fogel, R. Studies on Hymenogaster: re-evaluation

of subgenus Dendrogaster 72-82 , and J. M. Trappe. Destuntzia, new genus in Hymenogastraceae (Basidiomycotina) 732-742

Forage grasses, endophytes in 323-327, 483-486, 487-489

Foray, report on 168-171

Fossil

chlamydospores, ultrastructure of 85, 86, 87f-89f, 90-94; fungi 11-15, 83-94; mycorrhizal associations, 83-94; ultrastructure of chlamydospores 83-94; vascular plants with chlamydospores 85-90

Frequencies of fungi on wood chips 725f Fruiting analysis in Heterobasidion 464-470

Fruiting body, synchrony in initiation of 103-106 Fuller, M. S., and U. Gisi. Comparative studies of the in vitro activity of the fungicides oxadixyl and metalaxyl 424-432

See Dolan and Fuller 791 Fungal phylogeny 791, 807

Fungicides, in vitro activity 424-431

Gametangia, ultrastructure of 166-168

Gardner, D. E., and C. S. Hodges, Jr. Spore surface morphology of Hawaiian Acacia rust fungi 575-586

Genera related to Aspergillus and Penicillium 810-823

Genetical divergence 300-306

Genetics 285-298, 300-306, 464-470, 975-977 slime mold 646-652; Tremella 37-42, 46, 47

Geographic distribution, in Fusarium 212-218 Germinating chlamydospores, ultrastructure of 746, 752, 753f

Germination, sporangiospores 97-101

differentiation 248-252; growth, influence of

fungicides 426, 429 Gilbertson, R. L. See Blackwell and Gilbertson

50 Gisi, U. See Fuller and Gisi 424

Glawe, D. A. Hapalocystis berkeleyi and Macrodiplodiopsis desmazieresii in artificial culture 880-886

. Pleomorphic asexual state of Valsaria insitiva 62-71

Gong, T. See Collins and Gong 300

Goos, R. D. Review of anamorph genus Helicomyces 606-618

Graminicolous rust fungi 205-210

Greenhalgh, R. See Miller and Greenhalgh 130 Growth

factor, partial purification of 109-113; kinetics 384, 385; Psilocybe 932-939

Gulya, T. J., and L. J. Littlefield. Viability of vacuum-dried urediniospores of Melampsora lini 491-493

Guzman, G. The genus Psilocybe. A systematic revision of the known species including the history, distribution and chemistry of the hallucinogenic species; review 172

Gyromitrins 259

Hale, M. D., and R. A. Eaton. Ultrastructure of soft rot fungi. I. Fine hyphae in wood cell walls 447-463

-. Ultrastructure of soft rot funand . gi. II. Cavity-forming hyphae in wood cell walls 594-605

Hanlin, R. T. Pedagogical ascomycete 1-10 . See Hoover-Litty and Hanlin 721

Haskins, E. F., A. A. Hinchee, and M. D. Mc-Guinness. Amoebal and protoplasmodial cyst phase of Echinostelium minutum 253-258

. See McGuinness and Haskins 646 Hassouna, S. See Staples et al. 248 Hawaiian forest fungi 345-352, 977-981 Heath, I. B. See McKerracher and Heath 412

Heinemann, P., and J. Rammeloo. Flore illustrée des champignons d'Afrique Centrale, Fascicule 10, Gyrodontaceae p.p. (Boletineae); review 178-179

Hemmes, D. E., and A. P. Lerma, Jr. Ultrastructure of developing and germinating chlamydospores of Phytophthora palmivora 743-755

Henson, T. L. See Lilly and Henson 545 Hess, W. M., D. L. Nelson, and D. L. Sturges. Morphology and ultrastructure of snowmold fungus on sagebrush 637-645 Hesseltine, C. W. Fungi, people, and soybeans

505-525

V. R. Dowell, Jr. Anaerobic growth of molds isolated from fermentation starters used for foods in Asian countries 390-400

Heterothallism Didymium 300-306; slime mold 646-652 Hexazinone, inhibition by 333-335 Hinchee, A. A. See Haskins et al. 253

Histoplasmosis 964

Hobbs, T. W., A. F. Schmitthenner, and G. A. Kuter, New Phomopsis from soybean 535-

Hoch, H. C. See Staples et al. 248 Hocking, A. D. See Pitt and Hocking 810

Hodges, C. S., Jr. Hawaiian forest fungi VI. New species of Brasiliomyces on Sapindus oahuensis 977-981

See Gardner and Hodges 575

. See Larsen et al. 345 Holton, R. W. See Ballou and Holton 103

Homothallic isolates 975-977 Hoover-Litty, H., and R. T. Hanlin. Mycoflora of wood chips to be used as mulch 721-

Huang, B.-H., K.-H. Yung, and S.-T. Chang. Sterol composition of Volvariella volvacea and other edible mushrooms 959-963

Humidity, effect of on Psilocybe 932-939

Hwang, K., D. A. Stelzig, H. L. Barnett, P. P. Roller, and M. I. Kelsey. Partial purification of mycotrophein 109-113

Hyphae

tip growth 238-241; types in wood cell walls 594-604; ultrastructure of 447-461 Hypogeous fungi 72-81, 735-741

Identification of Ascomycetes 7, 8

Illman, W. I., C. T. Rogerson, and G. P. White.
Disposition of Stilbum rhizomorpharum
under Pseudographiella 662-665

Immunochemistry 308-314

Inhibitors of ion transport 250

Institute for Fermentation, Osaka. List of cultures, 1984, 7th Ed.; review 180

Instructions to authors 181-184 Interfertility studies 285-298

Intersterility 975-977 in Tremella 37-42

Isozyme analyses 358-364, 366-372

Jacobs, C. W., and P. J. Szaniszlo. Altered development in temperature-sensitive mutant of Wangiella dermatitidis 142-148

Jensen, J. D. Peridial anatomy and pyrenomycete taxonomy 688-701

Johnson, A. See C. F. Culberson et al. 657 Johnson, T. W., Jr., and D. P. Dylewski. Charles Edward Miller, 1925–1984. 341–344

Karyotypic analysis 940-945

Keller-Dilitz, J., M. Moser, and J. F. Ammirati.

Orellanine and other fluorescent compounds in Cortinarius, Section Orellani
667-673

Kelsey, M. I. See Hwang et al. 109

Kerrigan, R. W. Studies in Agaricus II. Agaricus lilaceps re-evaluated 137–141

Key

Austrogautieria 675, 676; Calosphaeria species 552; Destuntzia 733, 734; Echnoa species 555, 556; genera of Calosphaeriales 551; Gigaspora with rough-walled spores 719, 720; Helicomyces 607, 608; Hypomyces and Nectria on Discomycetes 766; Jattaea 558; Pleurostroma species 563; Romellia species 559; small-spored species of Podaxis 25

Khare, K. B. New species of Melastiza 496–499 Khew, E. See Yeoh et al. 161

Kimbrough, J. W., and K. J. Curry. Septal ultrastructure in the Ascobolaceae 219-229

Kish, L. P. See Maghrabi and Kish 358, 366 Klich, M. A., and L. H. Tiffany. Distribution and seasonal occurrence of aquatic Saprolegniaceae 373-380

Koji 506

Korf, R. P. [Review of] Pilzmikroskopie: Prăparation und Untersuchung von Pilzen 177– 178

Korhonen, K. See Chase et al. 975

Koske, R. E. Glomus aggregatum emended: a distinct taxon in the Glomus fasciculatum complex 619-630 ——, and C. Walker. Species of Gigaspora with roughened outer walls 702-720

Ko, W. H. See Ann and Ko 946

——, and P. J. Ann. Phytophthora humicola, a new species from soil of citrus orchard in Taiwan 631-636

Kuter, G. A. See Hobbs et al. 535

Laccaria, phenetic classification in 124f, 125f, 128f Langsam, D. M., and B. L. Armbruster. Preservation of saprolegniaceous fungi for light microscopy 829-832

Largent, D. L., and B. L. Thompson. Two new species in the Entolomataceae 984-987

Larsen, M. J. See Lombard and Larsen 55

—, F. F. Lombard, and C. S. Hodges, Jr.

Hawaiian forest fungi V. New species of Phellinus 345–352

Lectins 308-314

Lerma, A. P., Jr. See Hemmes and Lerma 743

Lichen chemotypes 657-659

Lichens 336-338

Light/dark conditions, effect on fruiting 104-106 Lilly, W. W., and T. L. Henson. Mycelial phosphorus content of Schizophyllum commune 545-548

Lim, G. See Yeoh et al. 161

Lipids 959-963

List of fungi

on wood chips 726-728; staining with diazonium blue B 589

Litten, W., E. J. McLaughlin, and J. M. Smagula. Mycelial inhibition of Hymenoscyphus ericae by hexazinone 333–336

Littlefield, L. J. See Gulya and Littlefield 491 Localization of discoidin 308-314

Lombard, F. F. See Larsen et al. 345

a new species associated with a white sap rot of oak 55-61

Lombard, G. L. See Hesseltine et al. 390 Lumber, brown and red stain in 494-496

McGuinness, M. D. See Haskins et al. 253

——, and E. F. Haskins. Genetic analysis of reproductive system of true slime mold Comatricha lurida 646-653

McKerracher, L. J., and I. B. Heath. Structure and cycle of the nucleus-associated organelle in two species of Basidiobolus 412– 417

McKnight, K. H. Small-spored species of Podaxis 24-35

McLaughlin, E. J. See Litten et al. 333

Maghrabi, H. A., and L. P. Kish. Isozyme characteriziation of Ascosphaerales associated with bees. I. 358-365

——, and L. P. Kish. Isozyme characterization of Ascosphaerales associated with bees. II. 366–372

Mans, J. L. (Ed.) Compendium of strawberry diseases; review 179-180

Marasas, W. F. O. See Burgess et al. 212

, P. E. Nelson, and T. A. Toussoun. Fusarium dlamini, new species from southern Africa 971-975

Margosan, D. A., and D. J. Phillips. Effect of two temperatures on nuclear number of conidia of Monilinia fructicola 835-837

Marine fungi 278

Matings in Exidiopsis 285-298

Media, effect of on growth of protoplasis 887, 890,

Meiosis, ultrastructural evidence for 328-332 Melchior, G. L. See Morehart et al. 784

Memorial article 341, 841

Metalaxyl 424-432

Method for partial purification of growth factor 109-112

Methoven, A. S. New and interesting species of Lactarius 472-482

Meyer, S. L. F. New lichen genus Imshaugia 336-338

Michailides, T. J., and J. M. Ogawa. Columellar germination in Mucor piriformis 353-357 Microevolutionary units in Tremella 37-42

Microthelia associated with mycorrhizal roots 162-165

Miller, C. E. 341-344

See Stubblefield et al. 11, 83

Miller, J. D., and R. Greenhalgh. Nutrient effects on biosynthesis of trichothecenes and other metabolites by Fusarium graminearum 130-136

Miller, O. K., Jr. [Review of] The genus Lentinus. A world monograph 176-177

See Cotter and Miller 927 Millipede secretions, antifungal activity of 185-

Mims, C. W. See Sherman and Mims 328 Miso 510-513

Monomethylhydrazine 259-263

Morehart, A. L., K. C. Blits, and G. L. Melchior. Pathogenic potential of Verticillium alboatrum protoplasts 784-790

Morphological concepts in study of Ascomycetes

Morphology

isolates of Exidiopsis 288, 289; two species of Glomus 196

Morton, J. B. Variation in mycorrhizal and spore morphology of Glomus occulatum and Glomus diaphanum as influenced by plant host and soil environment 192-204

Moser, M. See Keller-Dilitz et al. 667 Mullins, J. T. See Cottingham and Mullins 381

Murakami, S. See Tsuneda and Murakami 433 Murographs 573f

Mushroom

growth 756-762; poisoning 667-672

Mueller, G. M. Numerical taxonomic analyses on Laccaria 121-129

Mutagenesis 464, 465

Mutant strain development 142-148

Mycelial

inhibition 333-335; phosphorus 545-548 Mycoflora of wood chips 721-730

Mycoparasites 109

Mycophagy 320-322 Mycorrhizae 83-94

Mycorrhizal associations 192-202, 499-502

in fossil record 83-94 Mycorrhizal fungi 702-720

consumed by arthropods 320-322; differences among host species 825-828; possible symbionts in Austrogautieria 676; spore and mycorrhizal morphology in 192-202; wall ornamentations in 702-720

Mycorrhizal hosts 80 Mycotrophein 109-113 Myxomycete genetics 300-306 Myxomycetes, foray list 169

NAO, ultrastructure of 412-417

Natarajan, K., and N. Paran. New Psilocybe from India 158-161

Nelson, D. L. See Hess et al. 637

Nelson, P. E. See Burgess et al. 212 -. See Marasas et al. 971

Nematode-destroying endoparasite 17-23

Nematodes and Quasiconcha 53

New California records of Lactarius 480, 481 New taxa 12, 17, 24, 27, 29, 56, 114, 150, 154,

158, 162, 232, 235, 236, 266, 318, 319, 337, 338, 345, 441, 442, 472, 475, 476, 478, 496, 542, 558, 559, 560, 561, 564,

612, 631, 654, 665, 675, 676, 678, 679,

681, 684, 705, 708, 709, 733, 735, 736, 738, 740, 741, 766, 769, 771, 772, 775, 777, 781, 782, 818, 819, 822, 894, 897,

899, 904, 906, 908, 910, 911, 912, 915, 916, 951, 954, 956, 969, 971, 978, 981, 984, 985, 987

Nitrogen source, effect on metabolite yield 130, 133, 135

Nolan, R. A. See Dunphy et al. 887 Nuclear division, ultrastructure of 791-807

Nuclear DNA in Didymium 302-305 Nuclear number in conidia 835-837

Nucleus-associated organelle, ultrastructure of 412-417

Numerical taxonomy 121-129

Nutrient effects

biosynthesis 130-136; spore germination 97, 100, 101

Oberwinkler, F., and K. Wells. New species of Herpobasidium 265-271

Occurrence of Saprolegniaceae 373-379

Ogawa, J. M. See Michailides and Ogawa 353 Oospore type and periodicity 373-379

Operational taxonomic units in Laccaria 121-128 Orellanine 667-672

Ornamentation, yeast ascospores 660, 661f

Osumi, M. See Takashio et al. 166

Oxadixyl 424-432

Oxalic acid production 526-530

Oxygen effect on

hyphal tip growth 238-241; spore germination 97, 99-101

Padhye, A. A. See Weeks et al. 964

Paleozoic fungi 83-94

Pasture grass systematic parasites 418, 422

Pegler, D. N. The genus Lentinus. A world monograph; review 176-177

Penicillium, subgenera of 813f

Peridial anatomy

Amphisphaeriaceae 696; Boliniaceae 698; Calosphaeriaceae 696, 698; Chaetosphaeriaceae 698; Coniochaetaceae 698; Diaporthaceae 690, 691, 693; Diatrypaceae 689; Polystigmataceae 694, 696; Pyrenomycetes 688–700; Sordariaceae 694; Xylariaceae 689, 690

Petersen, R. H. Notes on clavarioid fungi. XX. New taxa and distributional records in Clavulina and Ramaria 903-919

Pezizoid septal type 227f

Phenetic classification 121, 123, 124f, 125f, 128f

Phenograms in Laccaria 124f, 125f, 128f Phenylamide fungicides 424–432

Phillips, D. J. See Margosan and Phillips 835

Phoma pattern 278
Phosphorus content, in mycelium 545-548

Phylogenetic significance of Olpidiopsis 877
Physical factors, effect of on growth of protoplasts
887–892

Phytase 521

Pine roots, fungus in 50-53

Pink stain of red oak 316, 317

Pitt, J. I., and A. D. Hocking. Interfaces among genera related to Aspergillus and Penicillium 810-824

Plant host, influence on mycorrhizal and spore morphology 192-202

Pleomorphic asexual state 62 Poisons, mushrooms 667-672

Polydesmid millipedes 185–191

Potassium

effect of on sugar uptake and assimilation 248-252; ions and sugar uptake 249

Powdery mildew 977-981

Powell, M. J. See Bortnick et al. 861

Preparation methods for Ascomycetes in class use

Privat, G. See Andary et al. 259

Proboscis hyphae 455, 457, 459

Protoplasts

factors affecting 887-892; growth of 887-892; pathogenic potential of 784-789

Pseudomycorrhizal fungi 951, 954, 954f, 955, 956,

Rabatin, S. C., and B. R. Stinner. Arthropods as consumers of vesicular-arbuscular mycorrhizal fungi 320–322

Ramachar, P., G. Bagyanarayana, and K. N. Rao. Puccinia ctenolepidis, new rust on Ctenolepis 981-984

Raman, N. See Natarajan and Raman 158

Rao, K. N. See Ramachar et al. 981 Raychaudhuri, S. P., and A. Varma (Eds.) Inter-

national Journal of Tropical Plant Diseases; review 179

Redhead, S. A. [Review of] The genus Psilocybe. A systematic revision of the known species including the history, distribution and chemistry of the hallucinogenic species 172-175

Red oak, stain of 316, 317

Reproductive system, genetics of, in slime mold 646-652

Reviewers, list of 991

Rhizomorphs, parasite of 662-665

Rogerson, C. T. See Illman et al. 662

and G. J. Samuels. Species of Hypomyces and Nectria on Discomycetes 763-783

Roller, P. P. See Hwang et al. 109

Roncadori, R. W., S. S. Duffey, and M. S. Blum. Antifungal activity of defensive secretions of certain millipedes 185–191

Root colonization patterns in mycorrhizal fungus 825–828

Rosing, W. C. Fine structure of cleistothecia, asci, and ascospores of Myxotrichum deflexum 920-926

Rossman, A., and H. E. Wilcox. Microthelia acerina, new fungus associated with roots of sugar maple 162–165

Royse, D. J. Effect of spawn run time and substrate nutrition on yield and size of the shiitake mushroom 756-762

Rust spore

longevity 491-493; storage of 491-493; surface morphology 575-585

Saikia, U. N., and A. K. Sarbhoy. Morrisiella, new genus of synnematous hyphomycete 318– 320

Salinity, effect on salt marsh isolate 278-284 Samuels, G. J. See Rogerson and Samuels 763

Saprolegniaceous fungi, preservation of 829-832 Sarbhoy, A. K. See Saikia and Sarbhoy 318 Savile, D. B. O. [Review of] Illustrated genera of

rust fungi, 2nd Ed. 175–176 Schenck, N. C. See Smith and Schenck 566

Schmidt, E. L., and M. G. Dietz. Arthrographis cuboidea causing pink stain of sodium pentachlorophenoxide-treated red oak 316-318 Schmitthenner, A. F. See Hobbs et al. 535

Schulz-Weddigen, I. H. Coprinus verticillatus, new agaric with multiple clamps 154-158

Sclerotia 531-534, 927-930

Screening method, cellulolytic fungi 161–162 Seasonal periodicity, in Saprolegniaceae 373–379 Secondary sporangia 353–356

Seifert, K. A. Stachycoremium, new genus of synnematous Hyphomycetes 987-990 Sensitivity of fungi to millipede secretions 187-

190

Septum types 219-228; ultrastructure 219-228

Setliff, E. C., and A. J. Cserjesi. Heterotextus alpinus on western red cedar shakes 489-491

Shearer, C. A., and J. L. Crane. Aquadiscula appendiculata, new genus and species of Discomycetes from leaves submerged in a freshwater swamp 441-446

Sherman, J. D., and C. W. Mims. Ultrastructural

evidence for meiosis in nonheterothallic isolate of Didymium iridis 328-332

Shiitake 756-762

Short, F. T. See Braselton and Short 940

Shoyu 509, 509f, 510 Simmons, R. B., and D. G. Ahearn. Ascospore ornamentation in Saccharomycodes lud-

wigii 660-662 Slide preparations, saprolegniaceous fungi 829-832

Slime mold, genetics of 646-652

Smagula, J. M. See Litten et al. 333

Smith, G. S., and N. C. Schenck. Two new dimorphic species in the Endogonaceae 566– 574

Snowmold fungus 637-639, 640f-643f, 644 Sodium pentachlorophenoxide 316, 317 Soft rot fungi 594-604

ultrastructure of 446-461

Soil environment, influence on mycorrhizal and spore morphology 192-202

Somatic dimorphism in Tremella 37 Soybeans, in fermentations 505-522

Spawn run time, and mushroom production 756-762

Sporangiospores, germination of 97-101 Sporangium production, influence of fungicides 426, 428

Spore

discharge, influence of fungicides 426, 428; germination, effect of millipede secretions on 189, 190; influence of fungicides 429; size, statistical treatment of 75-77; storage of 491-493; surface morphology 575-585

Sporocarp

development 848-859; ultrastructure 569f Sporogenesis in protostelid 858f

Spruce budworm larvae, protoplasts in 887-892 Staining 587-591

properties of mycorrhizal fungi 827; saprolegniaceous fungi 829-832

stain of lumber 494-496

Staples, R. C., S. Hassouna, and H. C. Hoch. Effect of potassium on sugar uptake and assimilation by bean rust germlings 248–252.

Statistical analyses 73, 75, 76-79 Stelzig, D. A. See Hwang et al. 109

Sterol composition of edible mushrooms 959-963

Stevenson, J. A. 841-847

Stewart, E. L., and J. M. Trappe. New genus Austrogautieria (Basidiomycotina), segregate from Gautieria 674-687

Stinner, B. R. See Rabatin and Stinner 320 Stone, H. E., and V. N. Armentrout. Production of oxalic acid by Sclerotium cepivorum during infection of onion 526-530

Storage of fungi 491-493

Stubblefield, S. P., C. E. Miller, T. N. Taylor, and G. T. Cole. Geotrichites glaesarium, a conidial fungus from amber 11-16

—, T. N. Taylor, and C. E. Miller. Paleozoic fungi IV: wall ultrastructure of fossil endogonaceous chlamydospores 83–96

Sturges, D. L. See Hess et al. 637

Substrates for Quasiconcha 50

Sucrose, effect of on induction of differentiation 249, 250

Sugar, effect of on induction of differentiation 249, 250

Summerbell, R. C. Staining of filamentous fungi with diazonium blue B 587-593

Synanamorphs 763, 766, 767f, 769, 774f, 775 Synaptonemal complex 329f, 940, 941, 942f, 943, 944, 944f

Synchrony in Coprinus sporulation 103-106 Synnematous hyphomycete 318-320, 987 disposition of 662-665

Szaniszlo, P. J. See Jacobs and Szaniszlo 142

Takashio, M., N. Yamada, and M. Osumi. Note on SEM study of gametangial origin in Arthroderma simii 166–168

Taxonomy

and peridial anatomy 698-700; of Pyrenomycetes 698-700

Taylor, T. N. See Stubblefield et al. 11, 83 Teleomorph 63, 119, 537f, 769, 818, 881 Tempeh 515, 516, 519

Temperature

effect on nuclear number 835-837; salt marsh isolate 278-284

Temperature-sensitive mutant 142-148

Tewari, J. P. New indeterminate stromatal type in Petromyces 114-120

Thermophiles 97-101, 723, 726, 729

Thompson, B. L. See Largent and Thompson 984 Tiffany, L. H. See Klich and Tiffany 373

Tissue maceration by Sclerotium cepivorum 528, 529

Tofu 518, 519

Torzilli, A. P., S. Vinroot, and C. West. Interactive effect of temperature and salinity on growth and activity of salt marsh isolate of Aureobasidium pullulans 278–284

Toussoun, T. A. See Burgess et al. 212; see Marasas et al. 971

Toxin 259-263

Transpiration in Psilocybe 932-939

Trappe, J. M. See Berch and Trappe 654; see Castellano and Trappe 499; see Fogel and Trappe 732; see Stewart and Trappe 674 Trichothecenes 130-136

Tsuneda, A., and S. Murakami. Endoconidium development and release in Phaeotheca fissurella 433–440

Uchida, J. Y., and M. Aragaki. Occurrence of chlamydospores in Phytophthora capsici 832-835

Ullrich, R. C. See Chase and Ullrich 464, 975 Ultrastructure

aggregating cells 308–314; ascal septa 220, 221f, 222f, 223; Ascobolaceae 219–228; ascogenous hyphae 223, 224f, 225f; ascospore ornamentation 660–662; ascosporogenesis 401–410; ascospores 920, 922, 924f, 925f; ascus 920, 921, 923f; basidiospores Destuntzia species 734f; cavity-forming hyphae 594–604; chlamydo-

spores 743-756, 747f-751f, 752, 753f, 754; cleistothecium 920, 921f; Didymium spore 329f, 330f, 331, 332; encystment of myxamoebae and protoplasmodia 253-258; endoconidium development 433-439; excipulum 223, 225f; fossil chlamydospores 83-94; fungus on sagebrush 637-644; gametangium origin 166, 167f, 168; hyphae 447-461; hyphae in wood cell walls 594-604; hyphomycete 433-439; localization of discoidin 308-314; meiosis in myxomycete 328-332; myxamoebae 256f; myxamoebal encystment 255f; nuclear division 791-807; nucleusassociated organelle 412-417; paraphyses 223, 226f; parasite in Halodule 940-945; parasite of watermold 861-877; plasmodiophora 940-945; Podaxis species 26f, 28f, 30f, 32-34; protoplasmodium 256; protostelid 848-859: release of endoconidia 433-439; rust fungi 575-585; septa 219-228; snowmold fungus 637-664; soft rot rungi 447-461, 594-604; spore surface morphology 575-585; sporocarp development 848-859, 850f, 851f, 853f, 854f, 856f, 858f; synaptonemal complex 941, 942f, 943, 944, 944f; VAM sporocarps 596f; walls of fossil chlamydospores 83-94; yeast spores 660, 661, 661f; zoospore 861-877

Urediniospores, viability of 491-493

Variants in Phytophthora 946-950 Variation causes in Tremella 46, 47 Vegetative growth, influence of fungicides 426-428

Vesicular-arbuscular mycorrhizae 83, 94, 619-

629, 702-720, 825-828 Vesicular-arbuscular mycorrhizal fungi 192-202,

320-322, 566-574, 654-657 in various soils 193; morphology of 196; spore production by 199

Viability of urediniospores 491-493 Vinroot, S. See Torzilli et al. 278

Vishniac, H. S. Cryptococcus friedmannii, new species of yeast from the Antarctic 149-153

Walker, C. See Koske and Walker 702
Wall ornamentations in mycorrhizal fungi 702720

Wang, C. J. K., and H. E. Wilcox. New species

of ectendomycorrhizal and pseudomycorrhizal fungi 951-958 Water molds 373-379, 381

Weeks, R. J., A. A. Padhye, and L. Ajello. Histoplasma capsulatum variety farciminosum: new combination 964-970

Wells, K., and G. Wong. Interfertility and comparative morphological studies of Exidiopsis plumbescens 285-299

See Oberwinkler and Wells 265

-----. See Wong et al. 36 West, C. See Torzilli et al. 278

White, G. P. See Illman et al. 662

White, J. F., Jr., and G. T. Cole. Endophyte-host associations in forage grasses. I. 323-327—, and——. Endophyte-host associations

in forage grasses. II. 483-486 —, and ——. Endophyte-host associations in forage grasses. III. 487-489

Whitney, K. D. Sporocarp ultrastucture and development in the protostelid Schizoplasmodium cavostelioides 848-860

Wicklow, D. T. Aspergillus leporis sclerotia form on rabbit dung 531-534

Wilcox, H. E. See Rossman and Wilcox 162

Wong, G. See Wells and Wong 285

Wong, G. J., K. Wells, and R. J. Bandoni. Interfertility and comparative morphological studies of Tremella mesenterica 63-69

Wood chips, mycoflora of 721-730 Wood decay, 594-604

Xylanase activities 280, 282, 283

Yamada, N. See Takashio et al. 166

budding 142-148; form conversion 966

Yeasts 587, 589 Yeoh, H. H., E. Khew, and G. Lim. Simple method for screening cellulolytic fungi 161-162

Yung, K.-H. See Huang et al. 959

Zoosporangial induction 383-386 Zoospore

encystment, influence of fungicides 426; fine structure, summary of 872f; ultrastructure 861– 879

Zygomycete, ultrastructure in 412-417

FUNGOUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

Absidia 729 corymbifera 394; sp. 726 Acaulospora 92, 322, 628 laevis 91, 321f; sp. 827; spp. 193 Achlya 373-375, 379, 381, 387 ambisexualis 381, 382, 385-388; americana 375, 377, 378; bisexualis 375, 388; cambrica 375; conspicua 378; debaryana 375, 377, 378;

diffusa 375; flagellata 378; inflata 375; oblongata 375; proliferoides 375; racemosa 375; treleaseana 829, 831f, 832 Acladium tenellum 109 Acrasiomycetes 804 Acremonium 486, 763 coenophilum 323, 483, 484f, 485f, 486-488, 488f, 489; sp. 726, 727; succineum 14; typhinum 323, 483 Acrospeira 727 Actinomucor 510 elegans 394, 395, 397, 510, 519-521 Actinomycetes 505 Actinostilbe 989 Afroboletus 686 Agaricales 121, 984 Agaricus 141 bisporus 932, 959, 961; lilaceps 137, 138, 138f, 139f, 140, 141; mcmurphyi 140; pattersonae 137; silvicola 169 Albatrellus confluens 169 Aleuria aurantia 261, 263 Aleurites 219 Allantosphaeriaceae 550 Allantosporaceae 555 Allescheria 729 Allomyces 92 neo-moniliformis 792, 804-806 Alpova 733 Alternaria 730 alternata 171, 487, 488; brassicae 438, 439; sp. Amanita muscaria 718; rubescens 169; vaginata 169 Amphisphaeriaceae 70, 696, 700 Amphisphaeria incrustans 169; latericollis 563; millepunctata 696, 700 Amylomyces 390, 392, 395, 396, 399, 520 rouxii 243-247, 393-396 Aphanomyces 373, 374, 862, 874 euteiches 427, 874, 875; helicoides 375; laevis 373, 375, 377-379 Aposphaeria 230, 235, 236 Aquadiscula 441, 442 appendiculata 442, 443f, 444f, 445 Aqualinderella fermentans 399 Arcyria cinerea 169; denudata 169 Armillaria mellea 345 Arnium sp. sect. Echria 726

Arrhenosphaera 358

Arthrinium sp. 727

Arthroderma 166

musiformis 109, 110, 113; sp. 727

Arthrographis cuboidea 316, 317

Articulospora tetracladia 445 Ascobolaceae 219, 220, 227, 228

benhamiae 166; simii 166, 167f, 168

Ascobolus 5, 220, 223, 226-228 crenulatus 9, 220, 221f; denudatus 220, 221f,

223, 224f; immersus 220, 221f, 223, 225f, 226f;

roseopurpurascens 220, 221f, 223, 224f, 226f,

Arthrobotrys

228; scatigenus 220, 223, 224f; stercorarius 226; stictoideus 220, 223, 224f; viridulans 922 Ascocybe 316 Ascodesmis sphaerospora 220; spp. 227 Ascoidea 404 rubescens 410 Ascoloculares 70 Ascomycetes 66, 69, 358, 438, 587, 589, 688, 723, 726, 727, 729, 763–782 Ascomycotina 401 Ascosphaera 5, 358, 359, 366 aggregata 358, 360-364; apis, 9, 358-364; asterophora 366-371; atra 366-371; major 366-371; proliperda 358, 360-364 Ascosphaeraceae 358 Ascosphaerales 358-364, 366-371 Aspergillus 114, 119, 333, 488, 514, 724, 725f, 730, 784, 810-812, 817, 818, 823 albertensis 114, 115, 116f-118f, 119; alliaceus 114; candidus 726; crystallinus 811; effusus 506; flavus 119, 487, 514, 531-534; flavus-oryzae 506; fumigatus 726, 729, 730; leporis 531-534, 533f; malodoratus 811; niger 119, 190, 317, 392, 393, 487, 546; niger group 727; ochraceus 119; oryzae 509-511, 514, 517, 520, 521; parasiticus 514, 531-534; restrictus 811; soyae 509, 514; sp. 727; spinulosus 811; sydowii 811; tamarii 506; wentii 506 Asterophora pezizae 775; strigosa 775 Asterostromella dura 728 Astrosphaeriella 231 Atelocauda 575 Atractium rhizomorpharum 664f Aureobasidium 69 pullulans 66, 171, 278-283, 589 Auricularia auricula 47, 285, 959, 969; polytricha 47, 285 Austroboletus 686 Austrogautieria 674, 675, 686 chlorospora 676, 678, 678f; clelandii 676, 681, 682, 682f; costata 676, 679, 680f, 681; macrospora 675, 676, 681, 682, 684, 685f, 686; manjimupana 675, 676, 677f, 678, 679; rodwayi 676, 681, 682, 683f, 684, 686 Aztecorum 160 Bactrodesmium sp. 727 Balansia 418, 420, 421 claviceps 418, 421, 422; cyperi 418, 420-422;

Balansia 418, 420, 421
claviceps 418, 421, 422; cyperi 418, 420–422; epichloe 418–422; henningsiana 418, 421, 422; obtecta 418, 420–422; strangulans 418, 421, 422;
Balansiae 418, 420
Basidiobolus 412, 416
haptosporus 412, 413, 414f, 415f, 416; magnus 412, 413, 414f, 415f, 416; ramarum 412
Basidiomycetes 103–107, 121, 587, 589, 723, 728, 729, 763, 959, 976
Basidiomycotina 72, 674–686, 732
Bertia 700
moriformis 696, 697f
Bettsia 358

Cetraria 337

Chaetomium 724, 725f, 726, 729

Biscogniauxia 698 marginata 689 **Biverticillium 811** Blakeslea trispora 394 Blastocladiales 791, 792, 804 Blastocladiella emersonii 387, 792, 804 Bloxamia truncata 69 Boletellus 686 Boletinellus merulioides 927, 928, 929f, 930 Roletus edulis 169; griseus 169; haematinus 169; porosporus 927; spp. 501 Boliniaceae 698, 700 Bombardia 700 bombarda 694, 695f, 699; coprophila 694, 695f, 699, 700 Botryosphaeria 559 Botrytis cinerea 53; similis 14 Brachycladium thomasinum 14 Brasiliomyces 978-980 entadae 979; malachrae 979, 981; malvastri 979-981; setosus 978, 978f, 979, 979f, 980, 980f, 981; trina 979 Brevilegnia bispora 829, 832 Briosia 316 Byssochlamys 729 Byssothecium 231 heterospora 236 Calcarisporium parasiticum 109, 110, 112; sp. 727 Californiomyces 979 Calosphaeria 549-552, 557, 560, 561, 700 alnicola 562; barbirostris 552f, 553, 554, 561; microsperma 552f, 553, 556; microtheca 558; microtheca var. brevirostris 558; minima 549, 558, 562, 696, 697f; princeps 549, 551, 553; pulcella 551, 552f, 553; pulchelloidea 552f, 553, 554; scabriseta 554; subgenus Erostella 562; vibratilis 559; wahlenbergii 555 Calosphaeriaceae 549, 550, 696, 700 Calosphaeriales 549-564 Calosphaeriopsis 550 Calospora allantospora 560 Camarops 698, 700 peltata 697f, 698; tubulina 698 Candida 69 glabrata 589; brusei 589, 590; tropicalis 784 Caudospora 700 taleola 690, 692f, 699 Cantharellus cibarius 169 Caryospora 231 Catenaria anguillulae 792, 804, 805

Catinula sp. 727

Cephaloascus 5, 316

Cenococcum geophilum 501

Ceratocystis 6, 53, 404, 409

Ceratostomella barbirostris 553

Cerinomyces canadensis 589, 590 Cerotelium trichosanthes 983

fimbriata 5; sp. 726

Cavostelium apophysatum 848, 855, 858, 859

albidus 9; fimbriata 9; fragrans 317, 404

bostrychoides 169; brasiliense 922; globosum 589, 590, 603; indicum 169; sp. 726; thermophile var. coprophile 101; torulosum 169 Chaetosphaeriaceae 698 Chaetosphaeria pulviscula 698, 700 Chalara 50, 51, 52f, 53 Chamonixia 674, 675 Chamydomucor 520 Chloridium paucisperum 951, 954f, 956, 958 Chlorophyllum molybdites 169, 843 Choanephoraceae 394 Chromelosporium ollare 171 Chromocreopsis 272, 273 bicolor 272; cubispora 272, 273, 275f; epinectria 272; hirsuta 272 Chrysomyxa pirolata 583 Chrysosporium 729 pruinosum 727 Chytridiales 791, 806, 807 Chytridiomycetes 792, 804,805, 861, 877 Circinella 391 sp. 726; umbellata 394 Circinostoma microsperma 553; microthecum 558 Cladonia chlorophaea 657-659; cristatella 657, 658; cryptochlorophaea 659; grayi 659 Cladosporium cladosporoides 186-188, 487, 488; sp. 14, 727 Clavaria americana 903; appalachiensis 903; argillacea 333, 335; formosa 908; globospora 903; purpurea 169; secunda 913; spinulosa 917; subbotrytis var. intermedia 916; subspinulosa 917 Claviceps 422 purpurea 546, 547 Clavicipitaceae 418 Clavicipitales 688 Clavicorona pyxidata 169 Clavulina 904 ramarioides 903, 904, 905f Clitocybe 933 candicans 169; gibba 169; hydrogramma 169 Coccidioides immitis 433 Cochliobolus heterostrophus 438; sativus 438; spicifer 837 Codinaea sp. 727 Coelomomyces indicus 792, 804 Coelomycetes 881 Coenococcum geophilum 956; grandiforme 956 Cokeromyces 395 recurvatus 394, 397 Colletotrichum gloeosporioides 171; lindemuthianum 427 Collybia lacumosa 169; dryophila 169; tuberosa 169; velutipes 932, 933 Collybicae 894 Comatricha lurida 646-652; nodulifera 646 Complexipes moniliformis 710

Confertobasidium 316 Conidiobolus sp. 726 Coniochaetaceae 698 Conjochacta discospora 697f, 698, 700; extramundana 700; sp. 726 Coniophora mustialiensis 169 Coniothyrium 70 insitivum 62, 70; sp. 727 Coprinus 103, 157 cinereus 103-107, 297; congregatus 106; ephemerus 589, 590; lagopus 107; myceliocephalus 157; sp. 728; verticillatus 154, 155f, 156f, 157, 158 Cordyceps capitata 263 Coronophora gregaria 696, 697f; ootheca 564 Coronophorales 550, 696, 700 Cortinarius 733 brunneofulvus 672; fluorescens 667, 669, 670, 670f, 671, 672; orellanoides 669, 670, 670f, 671, 672; orellanus 667-670, 670f, 671, 672; rainierensis 669, 670, 670f, 671, 672; section Orellani 670, 672; speciosissimus 667-670, 670f, 671, 672 Corynascus sepedonium 726 Coryneum state of Pseudovalsa umbonata 169, 171 Crepidotus 345 mollis 169 Crocicreas cyathoideum 169 Cronartium coleosporioides 433 Cryphonectria parasitica 690, 692f Cryptococcus 152 farciminosus 964; friedmannii 149, 150, 150f, 151, 152; lupi 151, 152; vishniacii 152 Cryptodiaporthe sp. 690, 692f Cryptosphaeria populina 689; vibratilis 559 Cryptovalsa sp. 689, 691f Cudonia circinans 261, 263 Cumminsiella 983 Cunninghamella 391 blakesleeana 726; echinulata 186-189, 726; elegans 394, 726; sp. 726 Cunninghamellaceae 394 Curvularia sp. 727 Cyathipodia nacropus 261, 263

Dacrymyces
dictyosporum 589, 590; punctiformis 589
Dacrymycetaceae 345
Daldinia 698
concentrica 689
Dasturella divina 208, 209
Dasyscypha niveus 169
Debaryomyces hansenii 404
Dendrogaster 72, 73, 79
connectens 73, 74f
Dendryphiella arenaria 603

Cylindrodendrum album 589

Cytosporella 62, 70

Cytosporina 555

Dendryphiopsis 164 Deuteromycetes 723, 727-729 Destuntzia 732-741 fusca 734f, 737f, 738, 740; rubra 733, 734, 735, 736, 737f, 738, 739f, 740, 741; saylorii 736f, 739f, 741; solstitialis 733, 734f, 737f, 738, 740; subborealis 733, 734f, 735, 736, 737f, 738, 740 Diaporthaceae 70, 550, 555, 690, 692f, 693, 699, 700 Diaporthales 70, 880, 881 Diaporthe 541, 699 oncostoma 169; phaseolorum 535, 540; phaseolorum var. sojae 70, 535, 537f, 540, 541, 542; phaseolorum var. caulivora 535, 536; phaseolorum var. batatitis 535; sojae 535, 542; sp. 692f, 693 Diatrypaceae 555, 689-700 Diatrype albopruinosa 689, 691f Diatrypella discoidea var. alni 689, 691f Dictyostelium discoideum 308-310, 311f, 312f, 313, 314, 804; minutum 726; mucoroides 726; purpureum 726; sp. 726 Dictyuchus 373, 374 missouriensis 375; monosporus 375, 376, 378, 379; pseudodictyon 375, 829, 831f, 832; sterile 378 Didymella applanata 169 Didymium 257 iridis 254, 300, 301, 303, 306, 328, 329f, 330f, 331, 332, 650, 651; nigripes 257, 650; ovoideum 306; sp. 254, 257; squamulosum 257 Didymobotryopsis 989 parasitica 989 Didymosphaeriaceae 70 Didymosphaeria confusa 232 Didymostilbe 989 sp. 727, 989 Digmargaritaceae 395 Digmargaritales 395 Dinemasporium sp. 727 Diplococcum sp. 727 Diplodia mutila 171; sp. 727 Dipodascopsis 5, 402, 410 tothii 401, 402, 402f, 403-405, 405f-408f, 409, 410; uninucleatus 9 Dipodascus 401, 402, 410 albidus 401, 402, 410 Discina perlata 169, 261, 263 Disciotis venosa 261, 263 Discomycetes 219, 259, 441, 698, 763 Discosphaerina fagi 66, 69 Discostroma sp. 169 Dispira cornuta 395 Doratomyces sp. 727 Dothidea conspicua 169; ribesia 69 Dothiora ribesia 69 Dothiorella convergens 886 Drechslera 438, 837

sp. 727 Drepanoconis

anguisporus 616; larvaeformis 616

Eccilia lata 985, 986; rusticoides 986; sericeonitida 986 Echinodontium tinctorium 169 **Echinostelium** bisporum 848; minutum 253-527, 652 Echnoa 549-551, 555 floccosa 556; glis 555; infernalis 555, 556, 557f; lanata 555, 556; subcorticalis 556, 557f Eladia 810, 815, 818 saccula 815, 816f Elaphomyces 502 muricatus 501 Eleutherascus 5, 6 peruvianus 9 Endogonaceae 83-95, 321, 322, 395, 566, 654, 702-720 Endogone 91 flammicorona 91 Endomyces magnusii 15 Endoraecium acaciae 575, 578f, 579; hawaiiense 575, 579, 580f Endothia parasitica 690 Endothiella sp. 727 Entoloma callichroum 985; ianthinum 985; puroides 985; undatum var. undatum 986 Entolomataceae 984 Entomophaga grylli 891 Entophlyctis variabilis 792, 804-806 Entomophthora 359 egressa 887, 888, 889f, 890, 891f, 892 Entomophthoraceae 22 Entrophospora 322 colombiana 193 Enzigostoma lasiostomum 554 Eutypa 559 curvicolla 558; flavovirens 689; scabriseta 553

Eutypella stellulata 689, 691f Emericella 5, 6 rugulosa 9; sp. 726 Epichloe typhina 323, 483 Epicoccum 730 purpurascens 171; sp. 727 Erostella 550, 562 minima 562 Erysiphe 979 graminis 458; martii 169 Erysipheae 555 Euascomycetes 401, 410 Eumycetozoa 848 Eupenicillium limoneum 818 **Eurotium 5** chevalieri 169; rubrum 6, 7, 9 Exidia 285 nucleata 285 Exidiopsis calcea 285; plumbescens 285-289, 290f, 291-293, 293f, 294, 295f, 296-298 Exophiala 62, 69, 70

Favolus alveolaris 169

sp. 215, 727 Fusidium 14 Ganoderma 345 tasmanica 681 Gleoglossum Geotrichites 14 Gilbertella 395 Gilmaniella sp. 727 Gliocladium 276 Glomus 84, 91, 571, 628, 629, 655 dermatitidis 438; mansonii 142 aggregatum 619, 620f, 621, 621f, 622f, 623, 623f, 624f, 625f, 626, 627f, 628, 628f, 629, 706;

Filamentifer 157 Flammulina velutipes 932 Fomes annosus 464; densus 60; johnsonianus 60 **Fomitopsis** cajanderi 169; roseus 169 Foraminella 336 ambigua 336; hyperopta 336; subambigua 336 Fuligo intermedia 169 Fungi Imperfecti 763-782 Fusarium 135, 212, 215, 316, 333, 724, 725f, 729, 730, 971 anthophilum 974; bullatum var. roseum 215; chenopodinum 215; culmorum 135; demicellulare 727; diamini 971, 972f, 973f, 974; equiseti 212, 213, 215, 727; equiseti var. bullatum 215; graminearum 130-136; moniliforme 727; ossicolum 215; oxysporum 186-188, 546, 727, 971, 974; proliferatum 589; roseum 130-135; sambucinum 727; scirpi 212-218, 214f, 216f; scirpi var. comma 215; solani 186-189, 727; Gaeumannomyces graminis 693 Gasteromycetes 24-35 Gautieria 674, 675, 686 clelandii 681; costata 679; graveolens 674; macrospora 684; morchelliformis 674; rodwayi 684; Gelasinospora 5, 9, 699 reticulospora 688, 694, 695f Geoglossaceae 261, 263, 763 glabrum 664; spp. 763 Geosmithia 810, 814f, 815, 818, 819, 821, 823 lavendula 814f; namyslowskii 815; putterillii 814f; virida 821f; 822, 823 glaesarius 11, 12, 13f, 14, 15 Geotrichum 14, 15, 69, 316, 317 candidum 11, 14, 15; microsporum 316 Gigaspora 322, 628, 702-720 coralloidea 703, 706, 712, 714f, 716f, 717f, 717, 719; dipapillosa 703, **709**, 710, 711f, 716f, 717f, 719; erythropa 710, 712; gigantea 625f, 703; gregaria 706, 710, 715f, 716f, 717f, 718f, 719; heterogama 703, 708-710, 712, 713f, 716, 716f, 717f, 719; margarita 91, 192; nigra 710; pellucida 193; persica 703, 706, 707f, 708, 709, 716f, 717f, 720; reticulata 710; verrucosa 703, 704f, 705, 706, 708, 712, 716f, 717f, 720 persicaria 353, 356, 394, 743 sp. 186-189, 727; virens 53 Gloeocystidium tenue 976 Glomerella cingulata 7, 9, 694, 697f

albidum 656; ambisporum 566, 567, 568f, 569,

569f, 571, 572, 572f, 573f; clarum 193, 201, 202, 628; diaphanum 192-202, 197f; deserticola 629, 655; epigaeum 91, 825-828; etunicatum 193, 574, 656; fasciculatum 192, 321f, 619, 628, 629; fecundisporum 202, 656, 827; geosporum 572; gerdmanni 656; halonatum 656; heterosporum 566, 567, 569, 570f, 571, 572, 572f, 573f, 574; hoi 654, 655, 655f, 656, 656f; intraradices 202; leptotichum 202, 827; macrocarpum 574; maculosum 626; manihotis 202; melanosporum 572; microcarpum 321f, 322; monosporum 192; occulatum 192-202. 198f, 656, 827; tenue 193; tortuosum 202, 827; versiforme 825

Glyphium

leptothecium 53; schizosporum 53

Gnomenia 6

setacea 692f, 693

Gnomoniella curvicolla 558

Gonatobotrys

primigenia 14; simplex 109, 110, 112, 171

Gonatobotryum fuscum 109

Gonatorrhodiella highlei 109, 110, 112

Gongronella butleri 394, 726

Gonimochaeta 17, 22, 23

horridula 17, 22; latitubus 17; lignicola 17, 18f, 19, 20f, 21f, 22, 23; pyriforme 17

Gonytrichum sp. 727

Graphium 664, 724, 725f

rhizomorpharum 665; sp. 727

Graphostroma 549, 551, 561, 698

platystoma 560f, 561, 689

Guepiniopsis 489

alpinus 169

Guignardia fagi 66

Gymnoglessum 72

Gymnophilus sapineus 169

Gyrodon 927

Gyromitra 263

esculenta 259, 261-263; gigas 263

Gyroporus castaneus 169

Hainesia lythri 587, 589-591

Hamigera 818

avellanea 169

Hanseniaspora

osmophilia 661; uvarum 661

Hansenula

subpelliculosa 509; wingei 404

Hapalocystis 880, 882, 886

berkeleyi 880-882, 883f, 886 Haplosporangium bisporale 394

Harpochytriales 792

Harpochytrium bedinii 792, 804, 805, 807

Harpographium 664

rhizomorpharum 665; sp. 727

Heliococephalidaceae 395

Helicodendron

paradoxum 445; triglitziensis 616; tubulosum 617

Helicoma 606

ambiguum 608; candidum 616; curtisii 616; fasiculatum 616; microscopicum 616; muelleri 616; sp. 727; stigmateum 616, 617; viride 616 Helicomyces 606-617

albus 613, 615; ambiguus 606, 608, 610, 614f; anguisporus 616; aureus 616; bellus 606, 608, 610, 611f; brunneus 616; candidus 616; cinereus 616; clarus 613, 616; colligatus 606, 608, 609f, 610; curtisii 616; diplosporus 616; elegans 613, 616; fasiculatus 616; fuscopes 613; fuscopus 606, 616; fuscus 616; gracilis 616; hyderabadensis 608, 610; larvaeformis 616; lilliputeus 608, 611; louisianensis 606, 608, 609f, 612; macrofilamentosus 608, 611f, 612; microscopicus 616; mirabilis 616; niveus 616; olivaceous 616; roseus 606, 608, 610, 613, 614f, 615, 616; scandens 606, 608, 611f, 613; sphaeropsidis 617; tenuis 606, 608, 611f, 614, 615; torquatus 608, 615; triglitziense 617; tubulosus 617; vegetus 617

Helicomyces(?) elegans 615

Helicosporium 606, 607, 616, 617

brunneolum 616; cinereum 616; diplosporum 616; gracile 616; lumbricoides 616; microscopicum 616; olivaceum 616; pallidum 615; pannosum 616; sp. 727; vegetum 616, 617; viride 616

Helicostilbe helicina 613

Helicostylum piriforme 394

Helicotrichum candidum 616

Helminthosporium gramineum 837

Helotiaceae 261

Helotiales 445

Helvella

crispa 261, 263; lacunosa 261, 263; sp. 763

Helvellaceae 261, 263

Hemiascomycetes 3

Hemiascomycetidae 401, 409, 410

Hemicarpentales 818

Herpobasidium 265, 269, 270

abnorme 265, 266, 266f, 267f, 268, 268f, 269, 270; australe 269, 270; deformans 269; filicinum 269, 270; struthiopteridis 269, 270

Hesseltinella vesiculosa 394

Heterobasidion annosum 464-470, 975-977

Heterotextus alpinus 489-490

Hirsutella 989

thompsonii 359 Histoplasma

capsulatum 784, 964, 965, 968; capsulatum var. capsulatum 966, 968; capsulatum var. farciminosum 964-966, 967f, 968, 968f, 969

Hobsonia mirabilis 616

Hohenbuehelia petaloides 169

Holocoryne 903

Hormonema dematioides 433

Humariaceae 219, 261, 263

Humaria hemisphaerica 763

Humicola 447, 729

alopallonella 448-450, 452f, 453, 455, 457-461, 594, 595, 598, 600f, 601, 602f; fuscoatra 171

Hyalodendron lignicola 587

Hyalopesotum 989

Hyalopycnis blepharistoma 587

Hygrocybe conica 169

Hymenochaetaceae 55, 345

Hymenochaetales 55, 58 Hymenochaete

paucisetosa 58; tabacina 58

Hymenogaster 72, 73, 79, 732, 733

brunnescens 72, 74, 75, 79, 81; diabolus 72, 74, 75, 79, 81; niveus 73; rodwayi 684; ruber 732, 733, 735; subcaeruleus 72, 74, 75, 79, 81; sub-liacinus 72, 74, 75, 79, 80; subochraceus 72, 74, 75, 77, 79, 81; subolivaceous 72, 74, 75, 77, 79, 81; tener 73; versicolor 735, 736

Hymenogastraceae 732, 733 Hymenogastrales 72, 732 Hymenomycetes 686

Hymenoscyphoideae 445 Hymenoscyphus 445

ericae 333, 335; paradoxus 445; splendens 445; tetracladius 445; varicosporoides 445

Hyphochytriales 429 Hyphochytriomycetes 424, 427

Hyphochytrium catenoides 425, 427 Hyphomycetes 433

Hypocopra equorum 689 Hypocrea cubispora 273 Hypocreales 272, 688, 700, 763

Hypomyces 763–782 cervinigenus 763, 766; ekmanii 763, 770, 773, 775; geoglossi 763; leotiarum 771, 772; leotricola 763, 766, 771, 772, 780f; mycogones 763, 765, 766, 767f, 772, 773; papulasporae 763–765; papulasporae var. americanus 763, 764, 766, 767f, 769, 770f, 771; papulasporae var.

papulasporae 764, 766, 767f, 768, 769; pezizae 775; sepulcralis 763, 766, 770f, 773, 775; stephanomatis 763, 765, 766, 774f, 775, 776; strigosus 775

Hypoxylon 700 deustum 689, 691f; fuscum 690; rubiginosum 690, 699; serpens 169

Hysterangium 732 separabile 169, 171 Hysterographium fraxini 169; mori 169

Impexi 157
Imshaugia 336, 337, 338
aleurites 338; placorodia 338
Inonotus

cuticularis 58; dryadeus 58; hispidus 171 Insolibasidium 269 Iodophanus 220, 223, 227, 228

carneus 220, 222f, 225f; granulipolaris 220, 222f, 225f, 226, 409

Jattaea 549, 550, 551, 556, 559 algeriensis 357, 558; brevirostris 558; ceanethina 549, 557f, 558, 559; curvicolla 549, 557f, 558; microtheca 557f, 558; pleurostoma 559

Kickxellaceae 395 Kickxellales 395 Kluyveromyces 729 Kuehneromyces vernalis 171 Laccaria 121-129

altaica 122–125, 128, 129; amethysteo-occidentalis, 122–125, 128, 129; amethystea 127; amethystian 127; bicolor 122–128; farinace 123; glabripes 127; laccata 122, 124–128, 171, 588, 589; lateritia 127; lavendipes (nom. prov.) 123; montana 127; nobilis 122, 124–128; oblongospora 122, 124–126, 128; ochropurpurea 122, 124, 125, 127–129; proxima 122, 124–128; tortilis 127; tricho-Jermophora 122, 124, 125, 127, 128; trullisata 127; vinaceo-brunnea 127

Lachnea scutella 401 Lachnum spp. 763 Lactarius 472

alnicola var. alnicola 480; alpinus var. mitis 480; cocosiolens 472, 473, 474f, 475; controversus 480; deliciosus 171; deliciosus var. areolatus 480; deliciosus var. olivaceosordidus 480; glutigriseus 480; hysginus var. americanus 473, 476; hysginus var. hysginus 473, 476; lanceolatus 478; luculentus var. laetus 478, 480; manzanitae 474f, 475, 476; pubescens var. betulae 480; resimus var. resimus 481; riparius 476, 477f, 478; rufulus 472; rufus 589, 590; scrobiculatus 171; scrobiculatus var. canadensis 479, 480; scrobiculatus var. montanus 476f, 478, 479, 480; scrobiculatus var. pubescens 479, 481; scrobiculatus var. scrobiculatus 480; subflammeus 481; subviscidus 481; torminosus var. nordmanensis 481; uvidus var. montanus 481; xanthogalactus 472

Laeticolora 913 Laetiporus sulphureus 345 Lagenidiaceae 22

Lagenidiales 17, 427, 429, 861, 877 Lagenidium 429

giganteum 425, 427, 429 Lasiosphaeria

ovina 694, 695f, 699, 700; spp. 66 Lecanidion atratum 169 Leccinum subalpinus 171

Lentinellus vulpinus 171 Lentinus

edodes 756, 757, 759, 761, 959, 961; lepideus 171; sulcatus 171; tigrinus 171

Lentomita barbirostris 553 Leotiaceae 441, 445 Leotia lubrica 261, 263, 763 Lepiota morgani 843

Leptonia catalunica 985; rosea 985; subrubinea 984, 985 Leptopodia elastica 261, 263

Leptosphaeria heterospora 236; modesta 169

heterospora 236; modesta 1 Leptosphaerulina 6 crassiasca 9

Leucogyrophana pinastri 171 Leucopaxillus gentianeus 171 Leucosporidium scottii 286

Leucostoma nivea 693 Lichen

aleurites 338; ambiguus 336 Linderina pennispora 395, 397 Loculoascomycetes 70, 230, 401, 410, 763, 922 Lophiaceae 50, 53 Lophiostoma caulium 169; langloisii 233, 234; quadrinucleatum 169; uncula 169 Lophium mytilinum 53 Loramyces 409 Lycogala epidendrum 169

Macrodiplodiopsis 882 desmagieresii 880–882, 884f, 885 Macrophomina phaseoli 438 Marasmieae 894 Marasmius androsaceus 897; applanatipes 894, 899, 900f, 901, 901f; epidryas 894, 901; pallidocephalus 897

Marchaliella zopfielloides 53
Martensiomyces pterosporus 395
Massalongiella 550
Massaria platani 880
Massariae 555
Massarina corticola 231
Melampsora lini 491–493
Melanconidaceae 880
Melanconis marginalis 693
Melanogaster 733

Melanoleuca graminicola 171 Melanomma 230, 231, 235, 236 callicarpum 235; hydrelum 234; langloisii 233; pertusum 232; pertusum var. anglica 233; pul-

vis-pyrius 233f, 235, 236 Melanommataceae 230 Melanommatales 53, 230, 236

Melanospora 5, 772 fayodi 772; zamiae 9, 109 Melastiza 496, 498

chateri 498; flavorubens 498; greleti 498; kumouensis 496, 497, 497f, 498, 498f; rubra 498; scotica 498

Membranosorus heterantherae 944 Merimbla 810, 816, 817 ingelheimense 816f

Meruliopsis hirtellus 171 Metatridium vesparium 169 Microascales 53

Microglossum arenarium 764 Micromphale 894

arbuticola 894, 895f, 896f, 897, 899; foetidum 899; perforans 897; sequoiae 894, 895f, 896, 896f, 897

Micromucor ramanniana var. ramanniana 589 Micropyxis geoglossi 763, 766

Microthecium sp. 726 Microthelia 162

acerina 162, 163–165, 163f–165f; incrustans 164 Monacrosporium sp. 727

Monascus 506 purpureus 506 Moniliales 11 Monilinia

fructicola 835-837; fructigena 837; laxa 837 Monilites 14

Monoblepharella sp. 791-807

Monoblepharidales 791; 792, 806, 807 Monodictys 447

putredinis 448-450, 452f, 453, 455, 456f, 457-461, 594, 595, 597, 598, 598f, 601, 603, 604 Morchellaceae 261, 263

Morchella esculenta var. rotunda 261, 263

Morrisiella 318

indica 319, 319f, 320 Mortierella 391

alpina 588, 589; isabellina 394, 395, 726; parvispora 394

Mortierellaceae 394

Mucor 333, 353-356, 390-392, 396, 399, 510, 729

alternans 393; circinelloides 393, 396, 398; dispersus 521; genevensis 394–396, 726; hiemalis 186–188, 391, 396, 519; indicus 393, 396, 398; javanicus 393; lusitanicus 396; mucedo 391, 392, 396, 589; piriformis 353–356, 354f, 355f; prainii 393; pusillus 394, 396; racemosus 391, 393, 396; ramannianus 391; rouxianus 393; rouxii 391; sp. 186–188, 393, 726; subtilissimus 391, 393

Mucoraceae 394

Mucorales 353, 391, 394, 399, 401, 505

Myceliophthora 726, 729

Mycelium

radicis atrovirens 951, 955, 956, 958; radicis nigrostrigosum 956

Mycena lilacifolia 171:

lilacifolia 171; pura 171 Mycetozoans 723, 726 Mycogone 765 calospora 765

Mycosphaerella minor 169; sp. 169 Mycotypha 395

microspora 394, 397 Mytilidion 53

Myxarium nucleatum 285 Myxomycetes 300, 328, 332, 646–652, 723, 726,

Myxomycetes 300, 328, 332, 646–632, 723, 848 Myxomycetidae 848

Myxotrichum deflexum 920, 921, 921f, 922, 923f, 924f, 925, 925f; stipitatum 169

Myzocytium 17, 22, 23 humicola 23; subuliforme 22

Nadsonia 5 fulvescens 9

Nannizzia 166 incurvata 168

Navicella langloisii 233 Nectria 3, 6, 763-782

albidopilosa 763, 765, 766, 779f, 781, 782; discicola 763, 765, 766, 779f, 782; discophila 763, 765, 766, 777f, 778; ekmanii 773; episphaeria 765; fuckelii 766; haematococca 3, 10, 726; inventa 439; leucorrhodina 765; mammoidea var. rubi 726; perpusilla 765; sepultariae 763, 765, 766, 777f, 778; sp. 726

Nectriella 766 geoglossi 763, 765, 766 Neoarcangelia 550, 562 ootheca 564 Neobulgaria pura 261, 263 Neurospora 399, 651, 699 crassa 250, 461, 546, 547, 836, 922; sitophila 391, 688, 694, 695f Nigrospora sphaerica 487, 489 Nitschkia 550 cupularis 696 Nitschkiaceae 696, 700 Nodulisporium 561 sp. 727 Nomuraea 810, 815 anemonoides 814f; rileyi 359

Oidiodendron 15 griseum 333; sp. 727; tenuissimus 171 Oidiodendrum truncatum 15 Oidiopsis gossypii 980 Oidium 980 moniliformis 14 Olpidiopsis 877 saprolegniae var. saprolegniae 861-879 Oomycetes 17, 427, 861 Ophionectria cerea 616 Ophiovalsa 700 suffusa var. suffusa 692f, 693, 699; suffusa var. valsoides 693, 699 Orbilia leucostigma 169 Ostenfeldia 940 Otidea onotica 261, 263; umbrina 261, 263

Nummularia discincola 689

Paecilomyces 316, 729, 810, 812, 813, 815, 818, 819, 821, 822 lilacinus 815; pascua 820f, 822; sp. 726, 727; variotii 814f
Papulaspora 764 candida 763, 764, 770f, 771, 769; mytilina 53; sp. 763
Parasitella simplex 394
Parmelia placorodia 338
Parmeliopsis 336–338
aleurites 337, 338; ambigua 336, 337; hyperopta 336, 337; placorodia 337, 338; subambigua 336, 337
Parvispora sect. nov. 24, 31, 33

Pediococcus halophilus 511
Penicillium 316, 333, 494-496, 724, 725f, 729, 730, 784, 810-813, 815, 817, 818, 821-823
arenicola 817; brunneum 813; canescens 813, 819; clavigerum 171; curtipes 14; digitatum 815; funiculosum 487, 488, 811; fuscoflavum 811;

Paxillus involutus 927

Paxina acetabulum 261, 263

819; clavigerum 171; curtipes 14; digitatum 815; funiculosum 487, 488, 811; fuscoflavum 811; griscofulvum 814f, 815; humuli 813; ingelheimense 816; janthinellum 589, 813, 815; katangense 816, 816f; lavendulum 815; oblatum 819, 820f, 821, 822; resedanum 821; restrictum 811, 821; rubrum 494, 496; sabulosum 817f, 818, 819, 821, 822; sp. 186–188, 494, 726, 727; thomii 589

Peniophora 42 Periconia macrospinosa 487 Pericystis apis 358 Peroneutypella 554, 555 Peronosporales 424, 427, 861 Pestalotia 730 sp. 727 Petriella guttulata 726 Petromyces 114, 119 albertensis 114, 115, 116f-118f, 119 Peyronelia 53 Peziza 219, 227, 228, 775 fusicarpa 776; hemisphaerica 776; ostracoderma 101; sp. 763 Pezizaceae 219, 227, 261, 263 Pezizales 219 Phaeolus schweinitzii 345 Phaeosclera 439 dematioides 433 Phaeosphaeria 230, 236 heterospora 233f, 234f, 236, 237 Phaeotheca 433 fissurella 433, 434, 435f, 436, 437f, 438, 438f, 439 Phakopsora apoda 209 Phallaceae 732 Phanerochaete chrysosporium 761

Phellinus 55 bicuspidatus 55, 56, 57f, 58f, 59, 60; conchatus 58; extensus 58; grenadensis 350; johnsonianus 55–57, 58f, 59, 60; kawakami 345, 346, 347f, 348f, 349, 350f, 351, 352; nigrolimitatus 352; nilgheriensis 350; pini 58; spiculosus 55–57, 58f, 59, 60; weirianus 171 Phialocephala dimorphospora 951, 955, 956, 957f

fortinii 951, 954, 954f, 955, 956, 957f, 958 Phialophora 447 botulispora 953, 955; fastigiata 447; finlandia 951, 952f, 953, 954f, 955, 958; hoffmanii 447– 450, 451f, 453, 454f, 455, 456f, 457, 458f, 459– 461, 594, 595, 596f, 597, 599f, 601, 603, 604; lagerbergii 953, 955; spp. 604, 953

Phlebia centrifuga 171; sp. 171 Phlebogaster laurisylvicola 736 Phleogena faginea 285 Phlyctochytrium irregulare 792, 804, 805 Pholiota spumosa 171 Phoma 53, 278, 535, 730, 880, 881 sorghina 487, 489 Phomopsis 535, 536, 540-542

glycines 536, 540–542; **longicolla** 538f, 539f, 540, 541, **542**, 543; **phaseoli** 536, 540–542; sojae 535, 536f, 537f, 540–543; sp. 535, 536, 540, 541

Phragmocalosphaeria 550, 560 Phycomyces 391 blakesleeanus 394 Phycomycetes 358, 729 Phyllachora graminis 696, 697f Phyllosticta 543 Physalospora

ceanothina 559; cornii 696, 697f; microtheca 558

Physarales 306, 646 Physarum 257, 331 flavicomum 254, 257, 306, 651; polycephalum 254, 257, 306, 314, 331, 650, 651; pusillum 651; rigidum 651 Phytophthora 386, 425, 427, 430, 631, 633, 743, 752, 754, 832, 862, 874, 948 cactorum 427, 428, 430; capsici 427, 428, 430, 752, 754, 832-834, 834f; cinnamomi 427, 430, 743, 754, 946-950; citricola 430; citrophthora 430; drechsleri 743; humicola 631, 632f, 633, 634, 634f, 635; infestans 430; insolita 631, 634, 635; megasperma 633, 634, 754; megasperma f. sp. glycinea 633, 634f; megasperma f. sp. medicaginis 431; megasperma var. sojae 752; nicotianae 427; nicotianae var. parasitica 833; palmivora 425-428, 430, 743-746, 747f-751f, 752, 753f, 754, 833, 834; parasitica 430, 635, 833, 948 Picacei 157 Pilaria anomala 394 Pilobolaceae 394 Pilobolus 242 crystallinus 238, 239, 239f, 240 Piperites 479 Piptarthon yuccae 171 Piptocephalidaceae 395 Piptocephalis repens 395 Pirella circinans 394 Planoprotostelium aurantium 848, 852 Plasmodiophora brassicae 804, 940, 943, 944; diplantherae 940-Plasmodiophoromycetes 804, 940, 945 Plasmopara viticola 430 Platycarpa 265, 269 polypodii 265, 269 Platyspora permunda 169 Plectomycetes 228, 922 Pleospora ambigua 169 Pleurophoma 881 Pleurostoma 549-551, 562, 563 candollei 549, 558, 562, 563, 563f; ootheca 549, 563, 563f, 564 Pleurotus ostreatus 345; sajor-caju 959, 961; sp. 932 Plicaria 227, 228 Pluteus cervinus 171 Podaxis 24-34 argentinum [sic] 24, 31f, 34f; argentinus 24, 25, 26f, 27, 29, 31-34; longii 27, 28f, 29, 31, 33, 34; macrosporus 24; microspora 32; micrope rus 29, 30f, 31-34; patagonicus 25, 32; pistillaris 24, 27, 29, 32, 33; pistillaria var. paurospora 32 Podospora 699 sp. 10, 694, 695f Podosporium 320 Polymyxa 944

betae 940, 944; graminis 940, 944

arcularius 171; brumalis 932, 933; palustris 470

Polyphagus euglenae 807

Polysporus

Polysphondylium pallidum 726; violaceum 804 Polystigma ochraceum 696 Polystigmataceae 694, 699 cf. crustulina 171; "cuspidata" 55, 56; spiculosa Poronia punctata 690, 691f Protascus subuliformis 22 Protoachlya 375 paradoxa 375 Protostelids 848-849 Protostelium nocturnum 859 Protubera 736 Psathyrella sp. 589 Pseudoeurotiaceae 53 Pseudographiella 662 rhizomorpharum 663f, 664, 664f, 665; variaseptata 664, 665 Pseudogymnoascus roseus 789 Pseudohydnum gelatinosum 171 Pseudomassaria polystigma 169 Pseudovalsa umbonata 169; coryneum state 56, 171 Pseudovalsella thelebola 692f, 693 Psilocybe 158 aztecorum 160; aztecorum var. aztecorum 160; cubensis 932-939; pseudoaztecorum 158, 159f, 160; quebecensis 160 Puccinia 983 agrophila 205; cenchri 209; cephalandrae 983; coronata 491; coronata f. sp. avenae 579; ctenolepidis 981, 982f, 983; deformata 209; dolosa 210; duthiae 205; echinopteridis 583; graminis f. sp. avenae 491; graminis f. sp. secalis 491; graminis f. sp. tritici 491, 493; gymnopetali-wightiae 983; helianthi 491; levis 206; loudetiae 208; microspora 206; miscanthi 206; perotidis 210; posadensis 206; purpurea 207; rufipes 207; striiformis f. sp. tritici 491; substriata var. indica 210; substriata var. substriata 208; versicolor 207 Pucciniaceae 983

Pucciniaceae 983
Putagraivam 989
Pyrenochaeta sp. 727
Pyrenomycetes 70, 263, 549, 688–700, 763, 922
Pyricularia oryzae 427
Pythiopsis 427, 429
cymosa 425, 427, 429; intermedia 429
Pythium 425, 427, 862, 874
aphanidermatum 427; irregulare 427

Quasiconcha reticulata 50-53, 52f

Radiomyces spectabilis 394
Radiomycetaceae 394
Ramaria 906, 913, 918
amyloidea 913; aurea 907, 912; bataillei f. americana 918; bulbobasidiata 903, 905f, 906, 907; canescens 903, 908, 909f, 910; cartilaginea 913; conjunctipes var. odora 911; fasciculata 910, 911; flavo-microspora 903, 909f, 910, 911; flavo-saponaria 903, 909f, 911, 912; formosa 908, 918; ignicolor 911; lorithamnus 911; lutea

907; maculospora 903, 912, 914f; raveneliana 911; rosella 903, 914f, 915, 916; secunda 913; spinulosa 914f, 917, 918; spinulosa forma fibulata 903, 916, 917; subbotrytis var. intermedia 910; subspinulosa 917, 918; testaceoflava 918; verna 913; violaceobrunnea 918 Ramularia oblongispora 14

Raperia 810-812, 818

spinulosa 812f Ravenelia 585

spegazziniana 576, 581, 584f, 585

Raveneliaceae 983 Requienella 231

Rhinocladiella

atrovirens 317; sp. 727

Rhizidiomyces apophysatus 425, 427

Rhizoctonia

cerealis 487-489; solani 14, 526, 589, 590; sp. 727

Rhizomucor 101, 792

pusillus 97-101; sp. 726

Rhizophagites butleri 619, 628

Rhizophydium sphaerotheca 792, 804-806 Rhizopogon 502, 733

vinicolor 501

Rhizopus 243, 390-392, 395, 396, 399, 510, 515-520, 724, 725f

arrhizus 243, 244, 246, 515; arrhizus var. arrhizus 243, 245, 246; arrhizus var. delemar 243-245; arrhizus var. rouxii 243, 247; chinensis 394, 395, 397, 521; chungkuoensis var. isofermentarius 243-245; delemar 243, 244, 246, 247; delemar var. delemar 245, 246; delemar var. minimus 243-245; delemar var. multiplicisporus 243-245; javanicus var. kawasakiensis 243-245; microsporus 244-246; nigricans 546, 726; nodosus 246; oligosporus 394, 515-518, 520, 521; oryzae 243-246, 515-517, 520, 726; sp. 393, 726; stolonifer 515, 520

Rhodophyllus

lanicus 986; laterifus 985

Rhodotorula aurantiaca 151 Romellia 549-551, 559, 561

cornina 549, 559, 560, 560f, 561; tympanoides 549, 559, 560f, 561; vibratilis 559, 560f

Rosellinia aquila 690, 691f

Russula

brevipes 171; nigricans 171

Russulaceae 472

Russularia 473, 476, 478

Saccharomyces 3

cerevisiae 3, 4, 7, 10, 147, 148, 404, 409; rouxii 511, 512

Saccharomycodes 660

ludwigii 660, 661, 661f

Saccharomycopsis capsularis 404

Saccobolus 220, 223, 226-228

depauperatus 220, 222f, 223, 224f, 226f, 227, 228; glaber 227; kerverni 220, 227; portoricensis 220, 221f, 223, 225f, 226f, 226, 228

Saccothecium sepincola 69 Saksenaea vasiformis 394

Saksenaeaceae 394

Salmonia 979

Sanguinolenti 141

Saprolegnia 373-375, 379, 862, 874, 892

asterophora 375; australis 275; diclina 373, 375, 376, 378, 379; eccentrica 375; ferax 373, 375-379, 862; hypogyna 375; monilifera 375; sp. 874-876; terrestris 375; turfosa 375

Saprolegniaceae 373-379

Saprolegniales 427, 861, 877

Sarcinomyces 439

crustaceus 433 Sarcosphaera eximia 261, 263

Sarcoxylon deightonii 274

Schizophyllum commune 47, 292, 297, 470, 545-547, 588-591

Schizoplasmodiopsis

amoeboidea 848, 855; vulgare 858, 859

Schizoplasmodium cavosteloiodes 848-859, 850f, 851f, 853f, 854f, 856f-858f

Schizosaccharomyces octosporus 4, 10

Schizoxylon albo-atrum 169

Sclerocystis 571, 626

rubiformis 566, 570f, 571, 572, 574

Sclerotinia sclerotiorum 526, 529

Sclerotium

cepivorum 526-530; rolfsii 526, 529

Scoptria 549, 551, 554

discreta 549, 552f; isariphora 554, 555

Scopulariopsis 729, 815

Scutellinia scutella 401

Sebacina

burti 294; calcea 285; plumbea 294; plumbescens 294

Section

Albo-lanosa 486; Allantosporae 550; Calosphaeriella 550; Calosphaerina 550; Chordales 901; Discolor 974; Divaricatum 819; Elegans 974; Eriobolus 226; Eucalosphaeria 550; Exilicaulis 821; Gibbosum 974; Liseola 974; Micromphale 899; Pallidifera 337; Perforantia 897; Racemosus 393; Rectoconidia 337; Russularia 478; Saccobolus 226; Scrobiculati 479; Triviales 473, 476

Sepedonium 765

leotiarum 763, 771; tuberculiferam 775, 776 Septonema 53

Septoria aquilegice 171

Sepultaria arenicola 763

Series

Canescentia 819; Pinetora 816

Sibrina 764, 765, 771

clavisedum 763, 769; fungicola 764, 765; sp. 763

Sillia 700

sp. 693

Sirobasidium magnum 286

Sirophoma 881

Sistotrema brinkmannii 976

Solenia candida 171

Sordaria 5, 6, 550, 699

fimicola 6, 7, 10, 169, 694, 695f, 698, 922; sp.

Sordariaceae 694, 699, 700

Sordariales 550

Sorosphaera 944 veronicae 940, 943 Spadicoides sp. 727 Sparassis crispa 171; radicata 171 Spathularia flavida 261, 263 Sphaeria 231 Barbirostris 553; ceanothina 559; curvicolla 558, 559; glis 555; heterospora 236; infernalis 556; lanata 556; lasiostoma 554; latericolla 563; microtheca 558; ootheca 562, 564; pertusa 230-232; pulchella 553; scabriseta 553; subcorticalis 556; vibratilis 559 Sphaeriaceae 550, 555 Sphaeriales 549 Spinellus fusiger 588-590 Spissicaules 141 Spizellomycetales 791, 807 Splanchnonema melanterum 169; platani 880, 882 Sporochisma sp. 727 Sporodina sp. 401 Sporodinia 391 Sporomia australis 922 Sporormiella 5, 6 australis, 6, 10 Sporopachydermia quercuum 587, 591 Sporotrichites heterospermus 14 Sporotrichum 729 pulverulentum 388 Stachycoremium 987 parvulum 987, 988f, 989, 989f Stemoniales 306, 646 Stemonitis axifera 169; axifera var. smithii 169; flavogenita 257, 306, 646, 651; sp. 726 Stemonitomycetidae 848 Stephanoma 764 phaeospora 109, 110, 112, 113; strigosum 763, 764, 775; tetracoccum 763, 764, 781f Stereum 352 chaillettii 171; hirsutum 171; purpureum 427 Sticta canariensis 659; dufourii 659 Stilbella 987 Stilbospora 880, 882, 886 inquinans 882; sp. 171 Stilbum parvulum 987; rhizomorpharum 664, 664f, 665; sp. 727, 989; succinii 14; turbinatum 989 Streptomyces spp. 784-787 Streptothrix spirilis 14 Strobilomyces floccopus 171 Subbaromyces splendens 392, 393 Subgenus Aspergilloides 821; Furcatum 819 Suillus sibericus 171 Syncephalastraceae 394 Syncephalastrum racemosum 394, 726; sp. 726; verruculosum 726 Synthetospora electa 775 Syzygites 391

megalocarpus 394

Talaromyces 729, 818 sp. 727; striatus 922 Taphrina spp. 66 Teichosporella dura 169 Testudina terrestris 53 Thamnidiaceae 394 Thamnidium elegans 394 Thaxterogaster 733 magellanicus 736; pinque 171 Thecotheus 220, 226-228 pelletieri 220, 222f, 223, 225f, 227 Thermoascus 726, 729 Thermomyces 729 sp. 726, 728 Thielavia 3 terricola 10 Thozetella tocklaiensis 728 Thraustochytriales 804 Thraustochytrium sp. 804 Thuemenella 272, 273, 276 brittannica 272, 273, 276; cubispora 273, 274f, 275, 276, 276f; fragilis 273, 276; hexaspora 272; javanica 272-274; sordida 273, 276 Togninia 549-551, 562 minima 562, 563f, 727 Tolypocladium inflatum 589, 590 Torula heteromorpha 14 Torulomyces 810, 818 lagena 818; sp. 728 Trematosphaeria 230-237 anglica 233, 234; applanata 230; callicarpa 235; cariosa 232, 234f, 235; confusa 232, 233, 234, 234f; corticola 230; cryptarum 230; errabunda 233, 234; fraxini 232; fraxinicola 232; heterospora 235, 236; hydrela 231, 232, 234f, 234, 235; latericolia 563; mangrovis 232, 234f, 235; pertusa 230, 232, 233f, 234f; picastra 230; rheithrophila 234, 235; seminuda 230; subferruginea 230; vesuvius 234 Tremella 36-47 fuciformis 959, 961, 962; globospora 286; lutescens 36, 37, 42, 46; mesenterica 36-47, 43f-45f, 286, 297; mesenterica β lutescens 42 Tribe Pertusae 230 Trichia favoginea 169 Trichaptum abietinum 171 Trichoderma 276, 316, 317, 333, 494, 724, 725f, hamatum 728; harzianum 186-189, 487, 728; koningii 186-190, 728; pseudokoningii 728; reesei 381, 388; sp. 728; viride 589 Trichoglossum hirsutum 261, 263; spp. 763; walteri 765 Tricholomataceae 121 Tricholomopsis platyphylla 171 Trichosphaeria suborticalis 556 Trickosporon beigelii 589; sporotrichoides 587 Trichurus sp. 728 Tricladium splendens 445 Truncocolumella 502 citrina 501 **Tuberales 228** Tubeufia 607

cerea 616, 617; cylindrothecia 607; palmarum 607; palusdosa 607

Tubifera ferruginosa 169 Tyromyces borealis 171

Uredinales 205-210, 575-585 Uredo ignava 208

Uromyces 575, 583

bicinctus 575, 579, 580f, 581, 583; clignyi 207, 208; digitatus 575, 576, 577f, 579, 583, 585; fusisporus 585; hyalospora 575, 579, 580f, 581, 583; koae 575, 576, 577f, 578f, 579, 583; phaseoli 248–252; phyllodiorum 575

Uromycladium 581, 585

alpinum 585; fusisporum 585; maritimum 576, 581, 584f, 585; notabile 576, 580f, 581, 582f, 583, 585; robinsoni 585; simplex 576, 581, 582f, sp. 575

Ustilago maydis 286, 297, 427 Utharomyces epallocaulus 394

Valsa 699

ambiens 692f, 693; cornina 560; lasiostoma 554; microtheca 558; pulchella 553; pulchelloidea 554

Valsaceae 550

Valsaria 62 insitiva 62-70, 64f, 65f, 67f, 68f

Varicosporium 445 Verrucaria confusa 232 Verticillium 276, 764, 765

agaricinum var. clavisedum 769, 770f; alboatrum 438, 784–789; psalliotae 728; sp. 728 Virgaria sp. 728 Volutina sp. 728 Volutina sp. 728

Volvariella volvacea 932, 959, 961-963

Wangiella dermatitidis 142-148

Warcupiella 818 Wardomyces sp. 728 Wegelina 550, 554, 555

discreta 555 Woronina 944

Xenosporium berkeleyi 616

Xerulina chrysopepla 171 Xeromphalina campanella 171

Xeromphalina campanella 17 Xylaria 550

cornu-damae 689, 690, 691f; polymorpha 263, 690

Xylaria anamorph 727 Xylariaceae 689, 690, 699, 700

Xylobolus frustulatus 352

Yeast 62-70, 149-152

Zaghouania phillyrea 576

Zalerion

eistla 283; maritimum 278

Zoopagales 395

Zoophagus insidians 425, 427, 429

Zygomycetes 390, 395, 399, 587, 589, 723, 726

Zygorhynchus 391 moelleri 394, 395

HOST INDEX

The Host Index includes familial or generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Ahies

Dasyscyphus niveus 169

Echinodontium tinctorium 169 Leucogyrophana pinastri 171

Poria cf. crustulina 171 Solenia candida 171

Trichaptum abietinum 171

Acacia

Armillaria mellea 345

Endoraecium acaciae 575, 576; hawaiiense 575, 576

Laetiporus sulphureus 345

Phaeolus schweinitzii 345

Phellinus 345; kawakamii 349, 350f, 351

Pleurotus ostreatus 345

Ravenelia spegazziniana 576

Uromyces bicinctus 576; digitatus 575, 576; hyalospora 576; koae 575, 576

Uromycladium maritimum 576; notabile 576; simplex 576

Acer

Aureobasidium pullulans 171

Microthelia acerina 162-165

Agave

Piptarthon yuccae 171

Allium

Sclerotium cepivorum 527

Allotropa

Rhizopogon vinicolor 501

Ammophila

Gigaspora dipapillosa 710; persica 708; verrucosa 705

Andropogon

Balansia henningsiana 418

Puccinia agrophila 205; levis 206; versicolor 207

Andropogoneae

Puccinia agrophila 205; duthiae 205; levis 206; microspora 206; miscanthi 206; posadensis 206; purpurea 207; rufipes 207; versicolor 207

Uromyces clingnyi 207

Anthephora

Puccinia chaseana 209 Anthurium

Phytophthora capsici 833

Anticarsia

Nomuraea rileyi 359

Aquilegia

Septoria aquilegiae 171

Armillaria

Atractium rhizomorpharum 662

Stilbum rhizomorpharum 662

Artemisia

snowmold fungus 637-644

Arundinelleae

Puccinia loudetiae 208

Asparagus

Glomus epigaeum 825

Aspidiaceae

Herpobasidium abnorme 267

Aureobasidium

Gonatobotrys simplex 171

Bambusa

Dasturella divina 208

Bambuseae Dasturella divina 208

Bioscypha

Nectria discicola 782 Bothriochloa

Puccinia duthiae 205

Hymenoscyphus ericae 335

Canthium

Puccinia versicolor 207

Capsicum

Phytophthora capsici 833

Carica

Phytophthora capsici 833; palmivora 833

Casuarina Phellinus 345

Phellinus kawakamii 346, 349, 350f, 351

Cenchrus

Balansia obtecta 418

Puccinia cenchri 209

Chasmanthium

Balansia claviceps 418

Chlorideae

Puccinia substriata var. substriata 208

Chloristoneura

Entomophthora egressa 887

Clover

Gigaspora dipapillosa 710

Ctenolepis

Puccinia ctenolepidis 981

Cyperus

Balansia cyperi 418

Diploscapter

Gonimochaete pyriforme 17

Discomycete, inoperculate Nectria albidopilosa 782

Entada

Brasiliomyces entadae 979

Erythrina

Epicoccum purpurascens 171

Festuca

Acremonium coenophialum 486

fungal endophyte 323-327, 483, 487 Glomus diaphenum 194; occulatum 194

Fraxinus

Diplodia mutila 171

Geoglossum

Hypomyces mycogones 773; papulasporae var. americanus 769; papulasporae var. pa-

pulasporae 768, 769

Gleditsia

Glomus epigaeum 825

Glycine

Diaporthe phaseolorum var. sojae 535; sojae

535

Glomus ambisporum 567; epigaeum 825; het-

erosporum 569

Phomopsis longicolla 543; sojae 535, 542

Gossypium

Glomus ambisporum 567; epigaeum 825; het-

erosporum 569

Guardiola

Colletotrichum gloeosporioides 171

Gymnocladus

Glomus epigaeum 825

Halodule

Plasmodiophora diplantherae 940

Hedera

Phytophthora palmivora 833

Helothis

Nomuraea rilevi 359

Hemitomes

Cenococcum geophilum 501

Rhizopogon vinicolor 501

Heracleum

Crocicreas cyathoideum 169

Humaria

Hypomyces stephanomatis 776

Imperata

Puccinia microspora 206; miscanthi 206; po-

sadensis 206; rufipes 207

Ipomoea

Diaporthe phaseolorum var. batatitis 535

Juglans

Inonotus hispidus 171

Lecanidion atratum 169

Phellinus weirianus 171

Kentucky bluegrass

Gigaspora persica 708

Nectria discophila 778

Lambdina

Entomophthora egressa 887

Hypomyces leotiicola 772

Leucospermum

Phytophthora capsici 833

Liquidambar

Glomus heterosporum 569

Lolium

fungal endophytes 323-327, 483, 487

Loudetia

Puccinia loudetiae 208

Lycopersicon

Glomus epigaeum 825

Phytophthora capsici 833

Verticillium albo-atrum 785, 788

Macadamia

Phytophthora capsici, 833; palmivora 833

Megachile

Ascosphaera aggregata 359; Ascosphaera-like

species 364

Millipede cuticle

Mucor hiemalis 187; sp. 187

Fusarium oxysporum 187

Monotropa

Armillaria mellea 499

Boletus sp. 299

Elaphomyces granulatus 299; muricatus 501

Truncocolumella citrina 501

Monotropastrum

Elaphomyces granulatus 499

Monotropoideae

mycorrhizal associations 499-502

Myrica

Gigaspora persica 708; verrucosa 705

Nematodes

Gonimochaete lignicola 19

Olyra

Puccinia deformata 209

Olyreae

Puccinia deformata 209 Osmia

Ascosphaeria-like fungi 364

Oxytenanthera

Dasturella divina 208

Paniceae

Phakopsora apoda 209

Puccinia cenchir 209; chaseana 209; dolosa var. circumdata 210; substriata var. indica

Balansia strangulans 418

Gigaspora dipapillosum 710

Puccinia dolosa var. circumdata 209

Paspalum

Glomus aggregatum 623; ambisporum 567;

heterosporum 569

Pennisetum

Phakopsora apoda 209

Puccinia substriata var. indica 210

Perotis

Puccinia perotidis 210

Phaseolus

Phomopsis phaseoli 540

Uromyces phaseoli 248

Chloridium paucisporum 956

ectomycorrhizae 501

ectomycorrhizal symbionts 333

Phialocephala fortinii 955

Phialophora finlandia 953

Phlebia sp. 171

Trichaptum abietinum 171

Platanus

Stilbospora sp. 171

Pleuricospora

Cenococcum geophilum 501

Elaphomyces muricatus 501

Rhizopogon vinicolor 501

Truncocolumella citrina 501

Polystichum

Herpobasidium abnorme 265, 267, 269

Pseudopulsia

Nomuraea rileyi 359

Pseudotsuga

ectomycorrhizae 501

Tyromyces borealis 171

Pterospora

Cenococcum geophilum 501

mycorrhizal associations 500f, 500

Stereum hirsutum 171

Rhabditid nematodes

Gonimochaete latitubus 17

Robinia

Glomus diaphanum 194; epigaeum; occulatum

194

Rottboellia

Puccinia levis 206

Sapindus

Brasiliomyces setosus 978 Scrophularia

Crocicreas cyathoideum 169 Selaginella

Mycosphaerella sp. 169

Setaria

Puccinia substriata var. substriata 208

Solanum

Phytophthora capsici 833

Puccinia substriata var. substriata 208

Verticillium albo-atrum 786, 788

Solidago

Gigaspora dipapillosa 710; persica 708; ver-

Sorghum

Glomus diaphanum 194; epigaeum 825; oc-

culatum 194

Puccinia purpurea 207

Spartina

Gigaspora persica 708; verrucosa 705

Sporobolus

Balansia epichloe 418

Stylosanthes

Gigaspora verrucosa 705

Theobroma

Phytophthora capsici 833

Trichoglossum

Hypomyces mycogones 773; papulasporae var. americanus 769, 771; papulasporae var.

papulasporae 768, 769

Erysiphe martii 169

Glomus diaphanum 194; occulatum 194

Uniola

Gigaspora dipapillosa 710; verrucosa 705

Vaccinium

Hymenoscyphus ericae 333 mycorrhizal fungi 333–335

Oidiodendron griseum 333

Vanda

Phytophthora palmivora 833

Vascular plants mycorrhizal fungus associated with 193, 654

Wax bean

Gigaspora persica 708

Glomus diaphanum 194; epigaeum 825

Zoysieae

Puccinia perotidis 210

